WATER WELL RECORD	Form WW	/C-5	Division of Water Resources App. No. 47,227
1 LOCATION OF WATER WELL: County: Marion	Fraction  4 SE 4 SE	4 SE 1/4	Section Number   Township No.   Range Number
			Global Positioning System (GPS) information:
			Latitude: (in decimal degrees)
3 miles South & 1 mile East of Durham, KS		Longitude: (in decimal degrees) Elevation:	
- III ONNIE	······································		Datum: WGS 84, NAD 83, NAD 27
	rms, c/o Keith Jost		Collection Method:
RR#, Street Address, Box #: 2168 K15		GPS unit (Make/Model:)	
City, State, ZIP Code : Hillsboro, KS 67063		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	60	ft.
SECTION BOX: Depth(s) Ground			
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. 5/4/09			
	Pump test data: Well water wasft. after hours pumping gpm		
EST. YIELD. 600gpm. Well water was			
W			
Domestic Dendlet Dilfield water namely Developing Dother (Creek, helevy)			
I Irrigation I Industrial I Domestic Jawn & garden I Monitoring well			
Was a chemical/bacteriological sample submitted to Department?  Yes No			
S If yes, mo/day/yr sample was submitted			
Water well disinfected? ✓ Yes □ No			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: M Glued Clamped Welded Threaded			
Casing diameter			
Casing height above land surface 18 in., Weight 12.52 lbs./ft., Wall thickness or gauge No0.490			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From			
GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., From ft. to ft.			
From			
Grout Intervals: From			
What is the nearest source of possible contamination:			
Septic tank Lateral lin	nes 🗌 Pit privy 🔲	Livestock	pens ☐ Insecticide storage ☑ Other (specify below)
Sewer lines Cesspool		Fuel storag	
,	oit Feedyard	Fertilizer s	orage — on workgap won
FROM TO LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 3 Topsoil	12000	. 1(0141	Diffic. Doo (cont.) of 1 Dodoffio HylDryADS
3 35 Clay, Gray			
35 40 Shale, Gray, hard			
40 42 Limestone			
42 43 Fractured Limestone (C	Cavity)		
43 54 Limestone			
54 56 Shale, Gray - Fractured	t		
56 58 Limestone			
58 59 Shale, Gray, hard			
59 60 Limestone	No departure :	771	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \bigcirc\) constructed, \( \bigcirc\) reconstructed, or \( \bigcirc\) plugged under my jurisdiction and was completed on (mo/day/year) .5/4/09 and this record is true to the best of \( \bar{ps}\) knowledge and belief.			
Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/year) .5/8/09			
under the business name of Peterson Irrigation, Inc. by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			

47,227