WATER WELL RE	CORD	Form W	WC-5	Di	ivision of Wate	r Resources App. N	47963	
1 LOCATION OF W		Fraction	110-5				Range Number	
County: Marion	ATER WELL.	1/4 NW 1/4 SE	14 SE 1		22	T 18 S		
Street/Rural Address of Well Location; if unknown, distance & direct						System (GPS) i		
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
1 mile South & 1-3/4 mile East of Durham, KS					Longitude: (in decimal degrees)			
I mile bodel a 1 5/4 mile labe of ballan, no								
					n: WGS 8	4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Jost Farms				Colle	Collection Method:			
RR#, Street Address		5 K-15 Hwy			GPS unit (Make/Model:)			
City, State, ZIP Cod	le : Hill	sboro, KS 67063	}				ic Map, Land Survey	
				Est. A	Accuracy: 🔲 <	3 m, ∐ 3-5 m, L] 5-15 m,	
3 LOCATE WELL	4 DEPTH OF	COMPLETED WEL	. 60		G			
WITH AN "X" IN	4 DEPTH OF COMPLETED WELL 60 ft.							
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
,	Pump test data: Well water wasft. after hours pumping gpm							
	Pump test data: Well water was it. after nours pumping gpm EST. YIELD 300-359m. Well water was ft. after hours pumping gpm							
NW NE	V NE EST. YIELD ANY TARBOM. Well water was							
W	W Bore Hole Diameter . 20							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
S mile		ifected? X Yes						
,								
5 TYPE OF CASING USED: Steel XX PVC Other								
CASING JOINTS: X Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 60 ft., From ft. to ft.								
From								
GRAVEL PA	CK INTERVALS:						. to ft.	
From ft. to ft., From ft. to								
6 GROUT MATERIAL: Neat cement Cement grout Other								
							ft. toft.	
What is the nearest sour					Ź			
☐ Septic tank			☐ Livestock	pens	☐ Insecticide	storage 🗌 Ot	ther (specify below)	
Sewer lines	Sewage lagoon	Fuel stora			l water well	^		
	r lines 🔲 Seepage p		Fertilizer	storage	Oil well/ga	as welly Line 4	······	
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLI	UGGING INTERVALS	
	soil							
	y, sandy							
10 22 San	d, coarse							
22 32 Sha	le, gray 22	32 Sand	fine					
	le, gray							
50 60 Sha	le, w/limesto	n & small fract	ures					
	estone, Hard							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)12/1/11 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Cor	tractor's License N	o1.38 This V	Water Well 1	Record w	vas completed	moday/ma	1.2/22/11	
under the business name of Peterson Trrigation, Tnc by (signature) ////								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								