WATER WELL RECORD		Form W	WC-5	Di	vision of Wate	r Resources App. No	0.	
1 LOCATION OF WATER WELL:		Fraction	1		on Number		Range Number	
County: Miani		NE145E 1/45L	11/4 NEV4		δ <sup>0</sup>		R 23 JE □W	
Street/Rural Address o			g System (GPS) in					
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)				
					Longitude: (in decimal degrees) Elevation:			
						4, □ NAD 83, □	 NAD 27	
2 WATER WELL OWNER: Bruce and Starr Chase					tion Method:	+, □ NAD 65, □	NAD 27	
2 WATER WELL OWNER: Bruce and Starr Chase RR#, Street Address, Box #: 32320 W. 363rd Street					GPS unit (Make/Model:)			
City, State, ZIP Code : Osawa tomie, KS			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
	03140	ALCOTATE, 110		Est. A	ccuracy: \_ <	3 m, 3-5 m,	5-15 m,	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	Plugg ed	.T.	250	) fi	3-250	hores	
SECTION BOX:	Depth(s) Ground	lwater Encountered	(1)	ft.	(2)	<b>()</b> () ()	3) ft.	
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
	Pump test data: Well water wasft. after hours pumpinggpi							
EST. YIELDgpm. Well water was								
W E	eterin. toft., andin. toft.							
	TO BE USED AS:   Public water supply  Geothermal   Injection well							
Domestic							Other (Specify below)	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Closedlaa.p								
Was a chemical/bacteriological sample submitted to Department? Yes No							·	
S If yes, mo/day/yr sample was submitted								
Water went distincted: Tes & 140								
5 TYPE OF CASING USED: Steel PVC Dother HD Polyethylen.								
CASING JOINTS: Glued Clamped Welded Threaded Fusion								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL: None								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: None								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
□ Louvered shutter       □ Key punched       □ Wire wrapped       □ Saw cut       □ Other (specify)         SCREEN-PERFORATED INTERVALS:       From       ft. to       ft.								
From								
GRAVEL PACK INTERVALS: From								
From								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Sewer lines	es Pit privy Sewage lagoon	☐ Livestock p		☐ Insecticide		er (specify below)		
					Oil well/ga			
Direction from well			_	•	ell			
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 3 Soil+ 3 21 lime	clay /145	1-154 Shale					<b></b>	
3 21 lime	1/59	1-174 lime			3.250	D' Bores	Ylaged	
21 43 Shale 43 49 lime	- 1 2	-178 Shale			1	1	1 0 1 -)	
43 49 lime		-182 lime	250	3	With	H196 50	olids Bintonit	
49 92 Shale			de			······································		
92 103 line		-192 line						
103 117 Shall	ا انط	- 250 Sardysho	de					
	Shale							
134 145 line	130016							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☑ plugged								
under my jurisdiction and was completed on (mo/day/year) 11.32 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No 56 This Water Well Record was completed on (mo/day/year)								
under the business name of Euras Energy Dev Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								