WATE	R WEI	LL RECORD	Form W	WC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Miami		Fraction 1/4 sw 1/4 ne	¼ ne ¼	Section Number Township No. Range Number T 18 S R 25 DE W		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from	nearest	town or intersection: If at o	owner's address, check	k here 💋.	Latitude: .38.26,688 N (in decimal degrees) Longitude: 94.37.451 W (in decimal degrees) Elevation: 928'	
2 33/4	TED W	ELL OWNER: Scott St	·	10.1	→ Datum:  ✓ WGS 84,  ☐ NAD 83,  ☐ NAD 27	
l .					Collection Method:  ☐ GPS unit (Make/Model: Magellan Meridian)	
0'. 0 7ID 0 1			375th ave		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
	, 5.0.0, 2	Louispu	rg KS 66053		Est. Accuracy:	
3 LOC		CLL		500		
	H AN "X	"IN 4 DEPTH OF C	COMPLETED WEL	L 502	ft.	
SEC	rion bo N	Depth(s) Ground	water Encountered	(1). <del>4</del> .55	ft. (2).430 ft. (3)	
İ —		WELL S STATE	test data: Well water		t. below land surface measured on mo/day/yrft. after hours pumpinggpm	
	.   .		gnm Well wate	r was	ft. after	
W NW NB EST. YIELD. 5 Bore Hole Diame			eter 10.5/8 in to	75	ft., and .7in. to .502ft.	
			TO BE USED AS: [	Public wa	ter supply Geothermal Injection well	
sv	Domestic Feedlot Oil field wat				ter supply   Dewatering   Other (Specify below)	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring we						
	-				o Department? 🗌 Yes 🗹 No	
S If yes, mo/day/yr sample was submitted						
		ASING USED: Steel				
CASIN	CASING JOINTS:  Glued  Clamped  Welded  Threaded  Casing diameter .5					
Casing height above land surface. 24 in., Weightlbs./ft., Wall thickness or gauge No						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel      ✓ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
		ERFORATION OPENING		Torch out	Drilled holes Diagra (oren hole)	
☐ Continuous slot   ☑ Mill slot   ☐ Gauze wrapped   ☐ Torch cut   ☐ Drilled holes   ☐ None (open hole)   ☐ Louvered shutter   ☐ Key punched   ☐ Wire wrapped   ☐ Saw cut   ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From 462						
From						
GRAVEL PACK INTERVALS: From 502 ft. to .75 ft., From ft. to ft.						
			From	ft. to	ft., From ft. to ft.	
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
				1	π. τοπ.	
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)						
	Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
		n well north	C I OC	· · · · · · · · · · · · · · · · · · ·	from well .500ft.	
FROM	TO 4	LITHOLOG	IC LUG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
4	283	layered limestone				
283	287	slate	777	<del>                                     </del>		
287	430	layered limestone				
430	492	sandstone				
492	502	grey shale				
T CONTROL CTODIC OD I ANDOWNEDIS CERTIFICATION. The state of the state						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .11/10/10 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No665 This Water Well Record was completed on (molean/year) .12/30/10						
under th	e busine	ss name of Pratt Well Se	ervice Inc.	********************************	by (signature)	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						