WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:		Fraction		Section Nu	umber	Township No.	Range Number	
County: Marion Street/Rural Address of Well Location; i		Ne 4 Nw 4 Ny	1/4 1/4	<del></del>		T / K S	R 3 ZE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude: Latitude: (in decimal degrees								
Hom nearest	town of intersection. If at t	wher's address, ence	Longitude: (in decimal degrees)  Longitude: (in decimal degrees)					
					Elevation:			
2 WATER WELL OWNER: Henry Keil				Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Henry Keil RR#, Street Address, Box #: 3070 guail Rd City, State, ZIP Code				Collection Method:   GPS unit (Make/Model:)				
City, State, 2	ZIP Code :	90011 112	District Man (District Day of Comment)					
Lincoln Ville Ka bb 35   Est. Accuracy:   <3 m,   3-5 m,   5-15 m,   >15 m								
WITH AN "X	"IN 4 DEPTH OF C	COMPLETED WEL	L 72		ft.			
SECTION BO								
WELL'S STATIC WATER LEVEL35ft. below land surface measured on mo/day/yr.///5/0								
Pump test data: Well water was								
W NW NE EST. YIELD SEE gpm Well water was						to	ft.	
WELL WATER TO BE USED AS:							njection well	
Other (Specify below the control of							, • • •	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ☐ Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							••••••	
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected?								
5 TYPE OF CASING USED:								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight SPRICE lbs./ft., Wall thickness or gauge No. 2. 1.4.								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch out ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
SCKEEN-PERFORATED INTERVALS: From								
From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Demonite Other Other								
Grout Intervals: From								
Septic tank								
Sewer lines								
	m well	ii		from well.				
FROM TO	LITHOLOG		FROM				GGING INTERVALS	
0 45	Yellow Cla	Ly						
45-49	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u> </u>				4.24.88.94.11	And a sharement	
75 79	hime							
44 60	YCHOW Sha	1e					1.00 (19)	
	<b>'</b> .	,						
60 65	hime							
h4- 1-1-	410.40-		1					
62 72	Water Grav Shall	0					4	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was ∠ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .//-/								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)								
under the business name of								
(white, blue, pink)	to Kansas Department of Health	and Environment, Bureau	of Water, Geolo	gy Section, 100	00 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								