WATER WELL RECORD		Form WWC-5		Div	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction	_		n Number	Township No.		
County: Mari	On	1/4 SW 1/4/N W	, ¼Nw¼	//	0	T / S	R 3 ZE W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here Latitude:								
					Longitude: (in decimal degrees)			
				Elevati	io <u>n:</u>	· · · · <u>· · ·</u> · · · · · · · · · · · ·	••••	
2 WATER WELL OWNER: John Vinduska						4, □ NAD 83, □	NAD 27	
RR# Street Address Box #: AD A SI D and the Amb					Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: # 2754 Remington City, State, ZIP Code:					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	Mari	rion, Kobb	261	Est. Ac	curacy: \square	$3 \text{ m}, \square 3-5 \text{ m}, \square$	5-15 m, $\square > 15$ m	
3 LOCATE WELL			• /	3				
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L	ઝ	ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
N WELL'S STATIC WATER LEVEL								
Pump test data: Well water wasft. after hours pumping								
X _{NW} EST. YIELD well water was ft. after hours						hours pum	ping gpm	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Bomostic Decellet Doil field water symply Devictoring Dether (Specific below)								
SW - SE -								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Clamped Welded Threaded								
Casing diameter 5 in to 60 ft Diameter in to ft Diameter in to ft								
Casing diameter in to B. f., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 2 in, Weight SDR. 2lbs./ft., Wall thickness or gauge No. 2								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS $\overline{A}RE$:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Screen-Perforated intervals: From ft. to ft.								
From ft to ft From ft to ft								
From								
From ft to ft From ft to ft								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well ☐ Distance from well								
FROM TO	LITHOLOG		FROM	TO			IGGING INTERVALS	
0 3 TOP		10 20 0	1110111		DITTIO: DO	<u> </u>	CONTO INTERVILED	
	~~ <i>(</i>							
3 42 VPI	DW Shal	e+Class						
42 100 Brus		mixelska	10					
			1					
60 61 Cm	umbled	ShalerU	aten					
61 73 ara	zy Show	e						
	<u> </u>							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) . 3-14-12								
under the business name of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Sen	d one copy to WAT	ER WELL OWNER and	retain one for	your records	s. Include fee	of \$5.00 for each \underline{c}	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								