1 LOCATION OF WATER WELL: Fraction Range Numbe Section Number Township Number County: Marion SW 1/4 SE 1/4 SW 11 18 S Distance and direction from nearest town or city street address of well if located within city? 250' E of tracks on Main St., Lincolnville, KS 2 WATER WELL OWNER: KDHE RR#, St. Address, Box # : Forbes Field, Bldg 740 Board of Agriculture, Division of Water Resources Topeka, Kansas Application Number: City, State, ZIP Code 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1......ft. 2..........ft. 3............ft. Pump test data: Well water was ... NA ... ft, after hours pumping gpm **NW** ~ NE -W 8 Air conditioning WELL WATER TO BE USED AS: 5 Public water supply 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) SW -SE 7 Lawn and garden only 10 Monitoring well 2 Irrigation 4 Industrial Was a chemical/bacteriological sample submitted to Department? Yes.......No........; If yes, mo/day/yr sample was Water Well Disinfected? Yes No ✓ CASING JOINTS: Glued Clamped TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Threaded. V..... 4 ABS 7 Fiberglass (7)PVC TYPE OF SCREEN OR PERFORATION MATERIAL 10 Asbestos-cement 5 Fiberglass 8 RMP (SR) 1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 5 Gauzed wrapped 11 None (open hole) 3 Mill slot 9 Drilled holes 1 Continuous slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: 3 Bentonite 2 Cement grout 6 GROUT MATERIAL: 1 Neat cement 14 Abandoned water well What is the nearest source of possible contamination: 10 Livestock pens 15 Oil well/Gas well 1 Septic tank 4 Lateral lines 11 Fuel storage 7 Pit priw Other (specify below) 2 Sewer lines 12 Fertilizer storage 5 Cess pool 8 Sewage lagoon .Unknown. 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? Direction from well? FROM PLUGGING INTERVALS LITHOLOGIC LOG TO FROM TO 0 0.5 Concrete. 0.5 5 Clay, Very Dark Brown 5 11 Shale, Light Yellowish Brown 11 16 Limestone Shale, Pale Yellow 16 24.5 Limeston Shale, Light Brownish Gray 24.5 26.2 Shale, Grav MW5A, Abovegrade Project Name: BM - Lincolnville × GeoCore # 694, # 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction under the business name of GeoCore Services, Inc. by (signature)

WATER WELL RECORD Form WWC-5 KSA 82a-1212