

MWIR

1 LOCATION OF WATER WELL: County: MARION	Fraction NW 1/4 NE 1/4 NE 1/4	Section Number 14	Township Number T 18 S	Range Number R 4E E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Southeast corner of Hwy 77 and East Main St. (Lincolnville)

2 WATER WELL OWNER: **KDOT BUREAU OF DESIGN - ENVIRONMENTAL SVCS SECTION**
 RR#, St. Address, Box #: **915 SW HARRISON, 9th Floor**
 City, State, ZIP Code: **Topeka 66612**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
			X
	NW	NE	
W			E
	SW	SE	
	S		

4 DEPTH OF COMPLETED WELL **12.5** ft. ELEVATION:

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL **NONE** ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Domestic (lawn & garden) 8 Air conditioning 9 Dewatering 10 **Monitoring well** 11 Injection well 12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 2 **PVC** 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded

Blank casing diameter in. to **5** ft., Dia in. to ft., Dia in. to ft.
 Casing height ~~above~~ **below** land surface **-2** in., weight lbs./ft. Wall thickness or gauge No. **Sch 40**

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless Steel 4 Galvanized Steel 5 Fiberglass 6 Concrete tile 7 **PVC** 8 RMP (SR) 9 ABS 10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 **Mill slot** 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)

SCREEN-PERFORATED INTERVALS: From **5.0** ft. to **12.5** ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **3.0** ft. to **12.5** ft., From ft. to ft.
10/20

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 **Bentonite** 4 Other

Grout Intervals: From **1.0** ft. to **3.0** ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 **Other (specify below)**
Rainwater

Direction from well? **Immediate vicinity** How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Black clay	0	1	Cement cap
5	8	tan clay	1	3	Bentonite pipe
8	11	gray & tan clay	3	12.5	10/20 sand
11	12.5	gray shale & clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1)** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **5/18/04** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **145** This Water Well Record was completed on (mo/day/yr) **5/21/04** under the business name of **Gratt Well Environmental** by (signature) **Juan Eyll**