

1 LOCATION OF WATER WELL: County: Marion Fraction NE ¼ NE ¼ NW ¼ Section Number 14 Township Number T 18 S Range Number R 4 EW

Distance and direction from nearest town or city street address of well if located within city? US Hwy 77 & Main St., Lincolnvillle

2 WATER WELL OWNER: Kansas Dept. of Transportation RR#, St. Address, Box #: 700 SW Harrison City, State, ZIP Code: Topeka, Kansas 66603-3754 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 4-section grid with 'X' in NW section] 4 DEPTH OF COMPLETED WELL: 15 ft. ELEVATION: 1413.8 ft. WELL'S STATIC WATER LEVEL: ... ft. below land surface ... Pump test data: Well water was NA ft. after ... hours pumping ... Est. Yield: NA gpm ... Bore Hole Diameter: 8 in. to 15 ft., and ... in. to ... ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring Well

5 TYPE OF CASING USED: 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded (checked) Blank casing diameter: 2 in. to 5 ft., Dia. in. to ... ft., Dia. in. to ... ft. Casing height above land surface: -3.6 in., weight ... lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole) SCREEN-PERFORATED INTERVALS: From 5 ft. to 15 ft. GRAVEL PACK INTERVALS: From 4 ft. to 15 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 1 ft., From 1 ft. to 4 ft., From ... ft. to ... ft. What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) Former UST

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0 to 10.5 (Clay, silty, moist w/depth, no odor, Yellow), 10.5 to 12 (Clay, silty, saturated, mod. old gas odor, Yello), 12 to 15 (Gravel with Gray Clay (3/8 - 3/4") gravel), MW4R, Tag # 00363176, Flushmount, Project Name: GF - Lincolnvillle Amoco, GeoCore # 1219, KDHE # U5 057 13299

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/22/2005 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 10/10/2005 under the business name of GeoCore, Inc. by (signature) Dan Bell