

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY. PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Marion	Fraction NW 1/4 SW 1/4 NW 1/4	Section number 19	Township number T 18 S R 4	Range number EX
2. Distance and direction from nearest town or city: 4.5 mi W. 1.4 mi S.			3. Owner of well: Laverne Stika			
Street address of well location if in city: from Lincolnville, Ks.			R.R. or street: Route 3.			
			City, state, zip code: Marion, Kansas 66861			
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 7.5 in. Completion date 12-13-76	
					Well depth 71 ft.	
					7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
					8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
					9. Casing: Material Plastic Height: Above 15 in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 15 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 3 lbs./ft. Dia. 6 in. to 41 ft. depth Wall Thickness 9 inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 32	
5. Type and color of material		From	To	10. Screen: Manufacturer's name Certain Tech		
Good Black Soil		0	2	Type <input type="checkbox"/> Dio. 6 in.		
Rocky Soil yellow		2	5	Slot/gouze <input type="checkbox"/> Length 30 FT.		
Clay Dark yellow		5	18	Set between 41 ft. and 71 ft.		
Clay Med. yellow		18	41	Gravel pack? <input checked="" type="checkbox"/> No Size range of material		
Clay Light yellow Grayish White		41	49	11. Static water level: 43 ft. below land surface Date 12-7-76		
Water Sand Med. Grayish White		49	60	12. Pumping level below land surface: 53.5 ft. after 1 hrs. pumping 15 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 30 g.p.m.		
Shale Blue		60	67	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date		
Shale Red		67	71	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 15 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 2 ft. to 12 ft.		
				16. Nearest source of possible contamination: ft. 113 Direction NW Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Signature Model number SBN 24625 HP 1/2 Volts 220 Length of drop pipe 65 ft. capacity 15 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Benda Drilling 161 Business name License No. Address Lincolnville, Ks. Signed Paul W. Benda Date 12-14-76 Authorized representative		
18. Elevation:		19. Remarks: This Well is Complete				
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

T 18 S R 4
 EX
 NW 1/4 SW 1/4 NW 1/4