		TER WELL REC	CORD F	orm WWC-5	KSA 82a	-1212 ID	No			
1 LOCATION OF W		Fraction		-1	Se	ection Numbe		vnship Number	Range Number	
County: Mario			SE	1/4 SW 1	/4	٠ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ	<u>T</u>	<i>18</i> s	R-D (BW)	
Distance and direction	South	£ 5 m	ile E			incoln	vile			
2 WATER WELL OV	WNER:	Ke Ben	reke,	01						
RR#, St. Address, Bo City, State, ZIP Code		12 colvi	BOEL le KS	St 6685,			Ap	plication Number:	Division of Water Resources	
3 LOCATE WELL'S L	OCATION WITH	4 DEPTH OF C	COMPLETE							
AN "X" IN SECTION	N BOX:		C WATER	LEVEL	π. be	llow land surf	race measure	ea on mo/aay/yr 🌽	1ar3 05 t.	
	, i	Pu	mp test dat	a: Well wate	r was	f	t. after	hours p	oumping gpm	
NW	NE	WELL WATER			r was Public water		t. atter 8 Air cor		oumpinggpm niection well	
	1	Omestic			Oil field water		9 Dewate	Ÿ	Other (Specify below)	
W	E	2 Irrigation	4 Ind	ustrial 7 I	Domestic (la	wn & garden	n) 10 Monito	ring well		
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yea, no/day/yrs sample was sub										
mitted Was a chemical bacteriological sample submitted to Department? Tes										
5 TYPE OF BLANK	CASING USED:		5 Wroug	ht iron	8 Conc	rete tile	CAS	ING JOINTS: Glue	od Clamped	
1 Stee	3 RMP (SF	₹)	6 Asbest	tos-Cement	9 Other	(specify belo		Weld	ded	
2 PVC)	4 ABS	-	7 Fibergl						aded	
Blank casing diamete	<b></b>	in. to		ft., Dia		in. to		ft., Dia	in. toft.	
			in., we	eight			lbs./ft. Wa		ge No. SPR 26	
TYPE OF SCREEN C	OR PERFORATIO 3 Stainless		5 Eiboral	lace	(7 P)	MP (SR)		10 Asbestos-Cen		
1 Steel 2 Brass	4 Galvaniz		5 Fibergi 6 Concre		9 A			12 None used (or	r) oen hole)	
								11 None (open hole)		
1 Continuous slo		ill slot	6 Wire wrapped			9 Drilled			Tr Hono (opon noio)	
2 Louvered shutt		ey punched		7 Torch				· · · • ·	ft.	
SCREEN-PERFORAT	TED INTERVALS:	From	/2	ft. to	70	ft., Fro	m	ft. to	)ft.	
		From		ft. to		ft., Fro	m	ft. to	)ft.	
GRAVEL PA	ACK INTERVALS	From	1. O.N. 4	ft. to		ft., Fro	om	ft. to	)ft. )tt.	
		1 10111	••••••	10	•••••	11., 1 10	////			
6 GROUT MATERI		cement		ent grout		ntonite				
Grout Intervals: Fro	om	ft. to	ft.,	From	ft.			om	ft. toft.	
What is the nearest source of possible contamination:						10 Livestock pens		14 /	14 Abandoned water well	
1 Septic tank 4 Lateral lines			7 Pit privy			11 Fuel st		_		
2 Sewer lines 5 Cess pool			8 Sewage lagoon		_	12 Fertilizer storage				
3 Watertight sew	er lines 6 Seep	<i>"</i>	_	9 Feedyard			ecticide stora	ge		
Direction from well?	500	- Wes			- FDOM	1	any feet?	3 00 '	ZEDVALO	
FROM TO	<del></del>	LITHOLOGIC	, LOG		FROM	ТО		PLUGGING IN	HERVALS	
024	Ch	7011				<u> </u>				
4 6	3/1a	- <i> </i>								
6 10	5/2	6 401								
10 14	LIME	- Frac	. Yo	/						
14 18	LIME	<b>&gt;</b>	61						1	
18 20	Shak	6 Yel								
2036	LIME	Rotte	~ Ye	67AV						
36 38	Shall	e Gro	<u>سرک</u>	•						
38 50	LIME	= TAN	<u> </u>							
50 62	Sha	le Gr	gy							
62 68	LIME	- TAN								
68 70	Sha	le Gra	<b>y</b> /							
					L					
									der my jurisdiction and was	
completed on (mo/day/	year)/Y.!								nowledge and belief. Kansas	
Water Well Contractor under the business na	s Licence No	Water	~Wel	This Water	Well Record	-	eted on (mo/d y (signature)	ay(yr)	9.3in	
INSTRUCTIONS: Use typ	pewriter or ball point per	n. <i>PLEASE PRESS F</i>	IRMLY and PR						s to Kansas Department of Health ER and retain one for your	
records. Fee of \$5.00 for									•	