

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Chase		SW 1/4 SW 1/4 NW 1/4		13		T 18 S		R 6 E	
Distance and direction from nearest town or city street address of well if located within city? 1 1/2 mile west of Hymer									
2 WATER WELL OWNER: Jeff Horn RR#, St. Address, Box #: 6401 Hollytree Court City, State, ZIP Code: Tyler, Texas 75703 Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 65 ft. ELEVATION: 11 ft.						
			Depth(s) Groundwater Encountered 1. 11 ft. 2. ft. 3. ft.						
			WELL'S STATIC WATER LEVEL 10 ft. below land surface measured on mo/day/yr JUN 7 91						
			Pump test data: Well water was ft. after hours pumping gpm						
			Est. Yield 1.25 gpm Well water was ft. after hours pumping gpm						
			Bore Hole Diameter 8 5/8 in. to 13 ft. and 6 1/2 in. to 65 ft.						
			WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 5 in. to 11 ft. Dia. in. to ft. Dia. in. to ft.									
Casing height above land surface 12 in. weight lbs./ft. Wall thickness or gauge No. SDR-26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 11 ft. to 65 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 10 ft. to 65 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage 14 Dry Creek									
Direction from well? South How many feet? 60									
FROM TO		LITHOLOGIC LOG		FROM TO		PLUGGING INTERVALS			
0	4	Top soil Blk							
4	13	Clay & Gravel							
13	17	LIME							
17	25	Shale Gray							
25	28	LIME Gray							
28	30	Shale Gray							
30	38	LIME Gray							
38	46	Shale DK Gray							
46	50	LIME Life							
50	57	Shale Hard Green							
57	61	LIME Life							
61	63	Shale DK							
63	65	LIME Gray							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Jun 7 91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo/day/yr) Jun 16 91 under the business name of ZINN Water Well Dng by (signature) Joseph A. Zinn									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									