WATER WELL RECORD	Form WWC	C-5	Division of Wate	r Resources App. No	o. L	
1 LOCATION OF WATER WELL: County: CHASE	Fraction 1/4 SW 1/4 NE 1/4		ection Number 34		Range Number R 7 ☑E □ W	
Street/Rural Address of Well Location; if unknown, distance & direction		rection G	Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here			Latitude: (in decimal degrees)			
3 NORTH & 5 WEST OF STRONG CITY			Longitude: (in decimal degrees)			
		E	Elevation:			
2 WATER WELL OWNER: REX BUCHMAN			Datum: WGS 84, NAD 83, NAD 27			
1		<u>C</u>	Collection Method: GPS unit (Make/Model:)			
at a man a t		0.45	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : COTTONWOOD FALLS KS 66845		845 E	Est. Accuracy:			
3 LOCATE WELL 50						
	4 DEPTH OF COMPLETED WELL 50 ft.					
SECTION BOX: Depth(s) Groun	froundwater Encountered (1).20 ft. (2) ft. (3) ft.					
N WELL'S STAT	ELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr3/14/13					
POT VIDE D 5	Pump test data: Well water wasft. afterhours pumpinggpm					
EST. YIELD. 5gpm. Well water wasft. after						
-SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes V No						
S If yes, mo/day/yr sample was submitted						
Water well disi	nfected? 📝 Yes 🗌 No					
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .5						
Casing height above land surface. 24 in., Weight						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
From						
GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cen	nent Cement grout	Bentonite	Other			
Grout Intervals: From .3 ft. t	o16 ft., From	ft. t	o ft.,	From	ft. toft.	
What is the nearest source of possible contamination:						
		Livestock pens			ner (specify below)	
				d water well	EK	
Direction from well SOUTH						
FROM TO LITHOLO		ROM T			JGGING INTERVALS	
0 5 TOPSOIL BLK	49		LIME GRA			
5 10 LIME TAN			SETTINE OT VI	A 4		
10 13 SHALE GRAY						
13 14 LIME GRAY						
14 20 SHALE GREEN						
20 25 LIME LITE						
25 32 SHALE GRAY				·		
32 36 LIME GRAY	or the recommendation of the contraction of the con					
36 43 SHALE BLUE GREEN	N .					
43 45 SHALE RED			***************************************			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .3/14/13						
Kansas Water Well Contractor's License No218 This Water Well Record was completed on (mo/day/year) .4/10/13ZINN						
under the business name of ZINN WATER WELL DRILLING by (signature) & organization of the business name of the busi						
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212			Check: W	hite Copy, 🔲 Bl	ue Copy, 🔲 Pink Copy	
KSA 82a-1212						