

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number																																																																																					
County: Chase		NE 1/4 NE 1/4 NE 1/4		24		T 18 S		R 8 E																																																																																					
Distance and direction from nearest town or city street address of well if located within city? 3 mile E & 3 3/4 N of Strong City																																																																																													
2 WATER WELL OWNER: Gary Hatcher																																																																																													
RR#, St. Address, Box # : City, State, ZIP Code : Strong City Ks - 66869																																																																																													
Board of Agriculture, Division of Water Resources Application Number:																																																																																													
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 55 ft. ELEVATION:																																																																																										
			Depth(s) Groundwater Encountered 1. 26 ft. 2. ft. 3. ft.																																																																																										
			WELL'S STATIC WATER LEVEL 11 ft. below land surface measured on mo/day/yr Oct 10 90																																																																																										
			Pump test data: Well water was ft. after hours pumping gpm																																																																																										
			Est. Yield 13 gpm Well water was ft. after hours pumping gpm																																																																																										
			Bore Hole Diameter 8 in. to 24 in. and in. to ft.																																																																																										
			WELL WATER TO BE USED AS:																																																																																										
			5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well																																																																																										
			Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted																																																																																										
			Water Well Disinfected? Yes No																																																																																										
5 TYPE OF BLANK CASING USED:																																																																																													
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter 5 in. to 24 ft. Dia in. to ft. Dia in. to ft. Casing height above land surface 16 in. weight lbs./ft. Wall thickness or gauge No. SDR-26 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)																																																																																													
SCREEN OR PERFORATION OPENINGS ARE:																																																																																													
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)																																																																																													
SCREEN-PERFORATED INTERVALS: From 25 ft. to 55 ft. From ft. to ft.																																																																																													
GRAVEL PACK INTERVALS: From NONE ft. to ft. From ft. to ft.																																																																																													
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other																																																																																													
Grout Intervals: From 3 ft. to 24 ft. From ft. to ft. From ft. to ft.																																																																																													
What is the nearest source of possible contamination:																																																																																													
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage																																																																																													
Direction from well? West How many feet? 300																																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2.5</td> <td>Topsoil</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2.5</td> <td>9</td> <td>LIME</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>14</td> <td>Shale Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>14</td> <td>20</td> <td>Lime Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>23</td> <td>Shale Green</td> <td></td> <td></td> <td></td> </tr> <tr> <td>23</td> <td>26</td> <td>Red Rock</td> <td></td> <td></td> <td></td> </tr> <tr> <td>26</td> <td>28</td> <td>Shale Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>28</td> <td>33</td> <td>Lime Light Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>33</td> <td>36</td> <td>Shale Dark Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>36</td> <td>39</td> <td>Lime Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>39</td> <td>41</td> <td>Shale Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>41</td> <td>45</td> <td>Lime Light Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>45</td> <td>55</td> <td>Shale Gray</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	2.5	Topsoil				2.5	9	LIME				9	14	Shale Gray				14	20	Lime Gray				20	23	Shale Green				23	26	Red Rock				26	28	Shale Gray				28	33	Lime Light Gray				33	36	Shale Dark Gray				36	39	Lime Gray				39	41	Shale Gray				41	45	Lime Light Gray				45	55	Shale Gray			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																								
0	2.5	Topsoil																																																																																											
2.5	9	LIME																																																																																											
9	14	Shale Gray																																																																																											
14	20	Lime Gray																																																																																											
20	23	Shale Green																																																																																											
23	26	Red Rock																																																																																											
26	28	Shale Gray																																																																																											
28	33	Lime Light Gray																																																																																											
33	36	Shale Dark Gray																																																																																											
36	39	Lime Gray																																																																																											
39	41	Shale Gray																																																																																											
41	45	Lime Light Gray																																																																																											
45	55	Shale Gray																																																																																											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Oct 10 90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo/day/yr) Oct 28 90 under the business name of ZINN Water Well Drlg by (signature) Joseph A. Zinn																																																																																													
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.																																																																																													