WATER WELL RECORD	Form WV	VC-5	Division of Water	er Resources App. No	). [	
1 LOCATION OF WATER WELL: County: CHASE	1/4 SW 1/4 NE	1/4 NW1/4	Section Number	Township No. T /B S	Range Number R <b>9 ⊠</b> E □W	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positionin	g System (GPS) in	formation:	
SUJTH STOR LAKE KAHOLA		Latitude:				
2 WATER WELL OWNER: RUBERT DORCETTE		Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 2326 INOUSTRIAL Rd. #400205			GPS unit (Make/Model: GRYMIN 12779)			
City, State, ZIP Code : EMPORAN, KS - 6680			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH (	OF COMPLETED WELL	100	ft			
SECTION BOX: Depth(s) Great Great Great Depth(s) Great	Depth(s) Groundwater Encountered (1)					
N WELL'S ST	WELL'S STATIC WATER LEVEL3./ft. below land surface measured on mo/day/yr. /// 27-24/0					
EST. YIELI	Pump test data: Well water was					
W Bore Hole D	E Bore Hole Diameter					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)  Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected? X Yes \( \square\) No						
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel YPVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From. 40 ft. to 60 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage WOther (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well ☐ Distance from well ☐ B.O.						
	LOGIC LOG	FROM			JGGING INTERVALS	
0 6 CLAY						
6 7 LIMESTONE 7 13 SUALE, CAN						
7 13 SWALE, CRAY						
16 21 SHALK, 6MM	4					
2/ 30 LIMESTONE						
30 45 SHALE 45 51 LIMPSTONE	1410					
45 51 LIMESTONE 51 100 SHIPLE, CO	day	7700				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year)and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 7.00. This Water Well Record was completed on (mo/day/year)						
under the business name of 12000 miles with the will be signature by (signature) 4. Left of the signature of						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212						
120/1 UZU 1212					,	