KOLAR Document ID: 1368631

WATER WELL	RECORD Correction		WWC-5 e in Well Use		ivision of Wa sources App.			Well ID		
1 LOCATION OF WATER WELL:			Fraction	Section Numb					ge Number	
				/4 1/4		T S R \Box E \Box W				
2 WELL OWNER: Business: Address: Address: City:		treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:								
3 LOCATE WELL		State:	ZIP:							
WITH "X" IN		4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)				5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
SECTION BOX: N	2)	ft.	Dry Well			WGS 84 🗌 NAI		AD 27		
		WELL'S STATIC WATER LEVEL:				ce for	Latitude/Longitude:			
		 □ below land surface, measured on (mo-day-yr □ above land surface, measured on (mo-day-yr) 				□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No)				
NW NE		Pump test data: Well water was ft.				□ Land Survey □ Topographic Map				
W	after	hour			Online Mapper:					
SW SE	after	Well w								
	Estimated Y		gpm		6 Elevation:ft. Ground Level TOC					
S					<u>Sour</u>	Source: Land Survey GPS Topographic Map				
1 mile in. to ft. □ Other										
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease										
Household	6. Dewatering: how many wells?				. 11. Test	11. Test Hole: well ID				
Lawn & Garden		7. Aquifer Recharge: well ID 8. Monitoring: well ID				Cased Uncased Geotechnical				
☐ Livestock 2. ☐ Irrigation						al: how many bores				
3. Feedlot		9. Environmental Remediation: well ID				a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water				
4. 🗌 Industrial		13. 🗌 O	13. 🗌 Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)										
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft.										
Septic Tank		Lateral Line	es 🗌 Pit Privy	C	Livestock F	Pens	Insectio	ide Storage		
Sewer Lines		Cess Pool	🗌 Sewage L		Fuel Storag		Abando	oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
Direction from well? ft.										
10 FROM TO		ITHOLO		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
						1				
				N T (
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)										
under my jurisdiction Kansas Water Well C	and was comp	leted on (n	no-day-year)	an Vater Well D	this record	l is tru	te to the best of my	y knowledg	ge and belief.	
	me of									
	under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										