


1 LOCATION OF WATER WELL: County: Chase Fraction: SW 1/4 NE 1/4 NW 1/4 Section Number: 4 Township Number: T 18 S Range Number: R 9 E

Distance and direction from nearest town or city street address of well if located within city? 7 1/2 North & 1 1/2 West of Saffordville

2 WATER WELL OWNER: William Fry
 RR#, St. Address, Box #: 310 west Central
 City, State, ZIP Code: Suite 108, Wichita Ks 66095
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 35.5 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 19 ft. 2. . ft. 3. . ft.
 WELL'S STATIC WATER LEVEL: 9' 1" ft. below land surface measured on mo/day/yr MAY 12 86
 Pump test data: Well water was . ft. after . hours pumping . gpm
 Est. Yield: 2.6+ gpm; Well water was . ft. after . hours pumping . gpm
 Bore Hole Diameter: 8 in. to 13 in. to . ft.
 WELL WATER TO BE USED AS:
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Observation well 11 Injection well 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes. No. If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Wrought iron 6 Concrete tile 7 Fiberglass 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
 Blank casing diameter: 5 in. to 15 in. Dia. . in. to . in. Dia. . in. to . in. Dia. . in. to . in. Dia.
 Casing height above land surface: 16 in., weight . lbs./ft. Wall thickness or gauge No. SPR 26
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)
 SCREEN-PERFORATED INTERVALS: From 15 ft. to 35' 6" ft., From . ft. to . ft., From . ft. to . ft., From . ft. to . ft.
 GRAVEL PACK INTERVALS: From NONE ft. to . ft., From . ft. to . ft., From . ft. to . ft., From . ft. to . ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 3 ft. to 13 ft., From . ft. to . ft., From . ft. to . ft., From . ft. to . ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
 Direction from well? South EAST Downhill How many feet? 40
Holding TANK

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Top Soil & Fill			
3	8	Light white Fractured			
8	14	Shale TAN			
14	19	Shale Blu			
19	26	LIME TAN Cottonwood			
26	34	Shale Gray			
34	35' 6"	LIME			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) MAY 12 86 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo/day/yr) MAY 15 86 under the business name of Zinn Water Well Drlg by (signature) Joseph A. Zinn
 INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
EW
SEC.
1/4
1/4
1/4