WATER WELL RECORD		Form WWC-5		Division of Water	r Resources App. No		
1 LOCATION OF WATER WELL:		Fraction				Range Number	
County: Marion		Se 1/4 NW1/4NE 1/4 1/4				R \angle	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning			
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)			
261 Hwy 56 Lehigh Ko. 67063				Longitude: (in decimal degrees) Elevation:			
261 Hus 56 Lehigh Ko. 67063 2 WATER WELLOWNER: Merle Flaming RR#, Street Address, Box #: 502 S Freeborn City State 7IP Code				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
DP# Street Address Boy #: 1744 C			Collection Method:				
City, State, ZIP Code			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Marian, 53.06861				Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF O	COMPLETED WELL	L 110	ft.			
SECTION BOX:	SECTION BOX: Depth(s) Groundwater Encountered (1)						
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after hours pumping gpt							
W -NW - NE EST. YIELD 10 - 12 gpm Well water was ft. after hours pumping ft. after in. to ft.						oing gpm	
						it.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
S If yes, mo/day/yr sample was submitted							
water well disinfected? No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS:							
Casing diameter							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 50 ft. to 110 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Sewer lines Watertight sewer l			Fertilizer st				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well ☐ Distance from well ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐							
FROM TO	LITHOLOG		FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0 12 Yel	low Cb.	1+Shale					
10 00 51	001.1						
18 80 310	e Shale						
PO P4 Cru	mbled S	haleLWa	ter			AND	
		(7) - 1-2					
P4 110 Blu	er Gra	y share	-			7-14-00-00	
					-		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 1. O This Water Well Record was completed on (mo/day/year)							
under the business name	of Dackh	U.S. Miller	n//	. by (signature)	auth I	anthum	
under the business name of DOCKIII. S							
(white, blue, pink) to Kansas I							