KOLAR Document ID: 1424929

	WELL R	Correction		WWC-5 ge in Well Use		ivision of Wa sources App.			Well ID		
		ATER WEL		Fraction		ection Numb		Township Numb		ge Number	
County:				1/4 1/4 1	/4 1/4	1 0				□ E □ W	
						Street or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCAT WITH "			IPLETED WELL:		ft. 5 Latitude :(decimal degrees)						
SECTIO	Depth(s) Gr			Longitude:(decimal degrees)							
١		2) ft. 3) ft., or 4) □ Dry WELL'S STATIC WATER LEVEL:					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:				
				y-yr)			(unit make/model:)		
NW	NE			y-yr)			WAAS enabled?				
		~	Pump test data: Well water was ft. after hours pumping gpm				\Box Land Survey \Box Topographic Map				
W	E	alter	Well water was ft.				Online Mapper:				
				s pumping	6 Flow	6 Elevation:ft. Ground Level TOC					
	S		Estimated Yield:gpm Bore Hole Diameter: in. to ft				Source: Land Survey GPS Topographic Map				
1 r		Dore Hole I	in. to				Other				
7 WELL WATER TO BE USED AS:											
1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?											
				echarge: well ID		11. Test Hole: well ID					
				g: well ID			al: how many bores				
	2. Irrigation 9. Environmental Remediation: w										
3. □ Feedlot □ Air Sparge 4. □ Industrial □ Recovery					Soil Vapor Extraction			b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface											
Steel Stainless Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
		le contaminati	on: No	potential source of co	ntamination v	vithin 200 ft.			II.		
Septic			Lateral Line	es 🗌 Pit Privy	[Livestock F			ide Storage		
Sewer			Cess Pool	Sewage L] Fuel Storag			oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction fro	om well?			Distance from v	well?						
10 FROM	TO	I	ITHOLO	GIC LOG	FROM	ТО	LIT	THO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:	1	<u> </u>				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under mv i	urisdiction a	nd was compl	leted on (n	o-day-vear)	an	er wen was this record	⊔ co l is tri	ue to the best of m	v knowled	ge and belief.	
				no-day-year) 							
under the b	usiness nam	e of	WATER W	ELL OWNER and retain	one for your re	cords Fee of 9	 \$5 00 f	for each constructed we	<u></u> 11	<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at h	ttp://www.kdhe	eks.gov/waterwel	l/index.html						KS	SA 82a-1212	