	WATER WELL REC	ORD Form W	WC-5 KSA 828		
1 LOCATION OF WATER WELL:	Fraction	e and the	Section Number	Township Numb	
County: (VD) 3	19E 1/4 SW 1	4 4 1/4		I T 19	S R // EN
Distance and direction from nearest town	or city street address of well	if located within	city? <°	*	1111-50
2628 W. 18th	St. Empo	1100,	>	e la company	MW-8
2 WATER WELL OWNER: MICHOLE	st retroleum			Marian - A. A. H	ultima Divinian of Martin December
RR#, St. Address, Box # : [o, fo]		es es		•	culture, Division of Water Resource
City, State, ZIP Code : New 4	on, KS 6711			Application Nu	
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED V	VELL	L. π. ELEVA	ATION:	·
N D	eptn(s) Groundwater Encount /ELL'S STATIC WATER LEV	rered 1	f π.	Z	ft. 3
1					ours pumping gpm
NW NE	•				
'	Est. Yield gpm: Well water was ft. after hours pumping gpm: Bore Hole Diameter . \$\instruct{1}{2}\instruct{5}\). in. to ft., and in. to ft.				
W beautiful and the second sec	VELL WATER TO BE USED		water supply	8 Air conditioning	11 Injection well
-	1 Domestic 3 Feed			•	12 Other (Specify below)
SW SE SE	2 Irrigation 4 Indus			and the second s	,,
	9			Approximation and the second s	.; If yes, mo/day/yr sample was sul
Commence of the commence of th	nitted	•		ater Well Disinfected?	
5 TYPE OF BLANK CASING USED:	5 Wrought in	ron 8 (Concrete tile	CASING JOINTS	S: Glued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-	Cement 9 (Other (specify belo	w)	Welded
PVC 4 ABS	7 Fiberglass				
Blank casing diameter 2in	. to <i>5 0</i> ft., Dia		in. to	ft., Dia	ft ft
Casing height above land surface	weight		68960	/ft. Wall thickness or g	auge No
TYPE OF SCREEN OR PERFORATION	MATERIAL:	****	7)PVC	10 Asbesto	os-cement
1 Steel 3 Stainless s	steel 5 Fiberglass		8 RMP (SR)	•	specify)
2 Brass 4 Galvanized		tile	9 ABS		ised (open hole)
SCREEN OR PERFORATION OPENINGS		5 Gauzed wrapp		8 Saw cut	11 None (open hole)
1 Continuous slot (3 Mill		6 Wire wrapped		9 Drilled holes	
	punched	7 Torch cut	<i>(</i>)	10 Other (specify) .	
SCREEN-PERFORATED INTERVALS:	From	. ft. to	€. 5€π., Fro	om , , , , , , , , , , , , , , , , , , ,	ft. to
GRAVEL PACK INTERVALS:	From	.π. το	A Fro	om	ft. to
GRAVEL PACK INTERVALS.	From	ft. to	ft Fro		and the second s
6 GROUT MATERIAL: 1 Neat cer		7.75			
					ft. to
What is the nearest source of possible co				stock pens	14 Abandoned water well
1 Septic tank 4 Lateral	lines 7 Pit	privy	(11)Fuel		15 Oil well/Gas well
2 Sewer lines 5 Cess p	ool 8 Se	wage lagoon		lizer storage	16 Other (specify below)
3 Watertight sewer lines 6 Seepag	ge pit 9 Fe	edyard	13 Inse	cticide storage	
Direction from well? E 45+			How ma	any feet? /50	
FROM TO	LITHOLOGIC LOG	FR	ом то	PLUG	GGING INTERVALS
0 5 Aspha	ult				
5 CO Clay	w/silt, duck i	brown			
Stiff,	40 odor	-			
lord 10,0' clay wel:	Selt light brown	267			
Stiff 1	10 odor				
10,0' 20,0' Shale	weathered, to	edrock)		<u></u>	and the second s
les ht b	rowa, no selo				
			At 15		
				A STATE AND ADDRESS OF THE STATE OF THE STAT	
		···			
	77-1478 MARIE MARIE PROPERTY CONTROL OF THE PROPERTY OF THE PR				
7 CONTRACTOR'S OR LANDOWNER'S	C CEDTICIOATION: This	or well was 47%	onetructed (2) res	constructed or (2) also	aged under my juriediation and we
completed on (mo/day/year) \$ 1.4	5 OF THE WATER THIS WAT				ged under my jurisdiction and wa of my knowledge and belief. Kansa
Water Well Contractor's License No				on (mo/day/y/) // 🖟	
under the business name of KGMSG S		La la	brd was completed by (sign	277 8	Marien
INSTRUCTIONS: Use typewriter or ball point pe		T clearly Please fill in		97 B	ton three copies to Kansas Department
of Health and Environment, Bureau of Water, T					