				R WELL RECORD F	orm WWC-5					
	TION OF WAT		Fraction	SE 14 NU	Sec	tion Number	Township		Range Number	
County:			5°1 14			11	<u> </u>	1 s	R ! I BW	
Distance	and direction			ddress of well if located	and the same of th	م منت المنت	3			
···	والمراجع والم والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراج	1501	ع	12th	ZMP	ORIF	<u> </u>		O Temperature	
2 WATE	ER WELL OW	NER: AM	000					nu	V 7	
RR#, St.	Address, Box	(#: 1201)	E 12+1	- IZth			Board of Agriculture, Division of Water Resource			
City, Stat	te, ZIP Code	EMP	ORIAN	RIAIS			Application Number:			
3 LOCA	TE WELL'S LO	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	15	ft. ELEVA	TION:			
→ AN "X	" IN SECTION	BOX:	Depth(s) Ground	water Encountered 1.		ft. :	2	ft. 3,		
7			WELL'S STATIC	WATER LEVEL 7.	8 ft. b	elow land sui	face measured	on mo/day/yr		
Ĭ					- Table 1				mping gpm	
	NW	NE	Est. Yield	gpm: Well water	was	ft. a	ifter	. hours pur	nping gpm	
! ຄ	M								toft	
Mile A	I I	E		-	Public water		8 Air conditioni		njection well	
-	l,	4440	1 Domestic			ter supply	9 Dewatering	•	Other (Specify below)	
	SW	SE	2 Irrigation				10 Monitoring v	véll		
			_						mo/day/yr sample was sul	
1		and the second second second second second	mitted	backeriological cample ou	billing to b		iter Well Disinfe		No	
5 TVDE	OF BLANK C	ASING USED:	TIMOG	5 Wrought iron	8 Concre				I Clamped	
	Steel	3 RMP (SF	5)	6 Asbestos-Cement		(specify below			ed	
(2 F	and the second second	4 ABS	1)	7 Fiberglass		. , ,	· · · · · · · · · · · · · · ·		ded	
			in to							
Casina la	sing diameter	المالية المالي المالية المالية المالي		in weight	۱۱۱۰ ، حورتیند ا	lbo	M., Dia	o or gaugo N	n. to ft	
				.m., weight	₹ PV					
		R PERFORATION		r Filosophero	- Annual Contraction of the Cont	and the same of th		Asbestos-ceme	(N	
	Steel	3 Stainless		5 Fiberglass	9 AB	IP (SR)				
	Brass	4 Galvaniz		6 Concrete tile		3	8 Saw cut	lone used (op-		
		RATION OPENIN	The state of the s		d wrapped				11 None (open hole)	
	Continuous slo	A STATE OF THE PERSON NAMED IN COLUMN NAMED IN	ill slot	6 Wire w			9 Drilled hole			
	ouvered shutt		ey punched	7 Torch o	July 5-	6 F			ó	
SCHEEN	N-PERFORATI	ED INTERVALS:	From	π. το		π., ro	·m)	
			F	4 40		4 Evo		£4: +.	. 4	
	ODAVEL DA	OK INTERVALO.							o	
	GRAVEL PA	CK INTERVALS:	From	4 ft. to		ft., Fro	om	ft. to	б	
	 	·	From	ft. to ft. to	.1.5	ft., Fro	m	ft. to	o	
	JT MATERIAL	.: 1 Neat o	From From	ft. to	3 Bento	ft., Fro ft., Fro	om Other	ft. to	o ft	
Grout In	JT MATERIAL tervals: Fro	.: 1 Neat c	From From cement ft. to	ft. to	3 Bento	ft., Fro ft., Fro onite 4 to	om om Otherft., From	ft. to	o	
Grout In	JT MATERIAL tervals: Fro the nearest so	.: 1 Neat of m	From From cement ft. to	ft. to ft. to Cement grout ft., From	3 Bento	toft., Fro ft., Fro nite 4 to	om Other ft., From stock pens	ft. to	of fit fit fit fit fit fit fit fit fit fi	
Grout In What is	JT MATERIAL tervals: Fro the nearest so Septic tank	.: 1 Neat of m	From From cement ft. to contamination: al lines	ft. to ft. to Cement grout ft., From 7 Pit privy	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Other	ft. to ft. to	o ft o ft ft to ft bandoned water well il well/Gas well	
Grout In What is 1 S	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines	.: 1 Neat of m	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens Storage	ft. to ft. to	of fit of the fit of t	
Grout In What is 1 5 2 5 3 1	JT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Vatertight sew	.: 1 Neat of m	From	ft. to ft. to Cement grout ft., From 7 Pit privy	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	o ft o ft ft to ft bandoned water well il well/Gas well	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sew of from well?	.: 1 Neat of m	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens Storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 5 2 5 3 1	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sew of from well?	.: 1 Neat of m	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S 2 S 3 N Direction	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	the second secon	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage cticide storage	14 Al 15 O 16 O	of the control of the	
Grout In What is 1 S S S S S S S S S S S S S S S S S S	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sew on from well?	1 Neat of possible 4 Laters 5 Cess ver lines 6 Seep	From From Dement It. to	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	ft., Fro ft.	om Other Other ft., From stock pens storage lizer storage cticide storage any feet?	14 Al 15 O 16 O PLUGGING II	of the control of the	
Grout In What is 1 S S S S S S S S S S S S S S S S S S	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sew or from well?	1 Neat of possible 4 Laters 5 Cess ver lines 6 Seep	From From Dement It. to	ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard LOG AV TION: This water well wa	3 Bento ft.	tt., Fro ft., Fro ft.	om Other Other ft., From stock pens storage lizer storage cticide storage any feet? onstructed, or (3	14 Al 15 O 16 O PLUGGING II	o ft o ft ft. to ft candoned water well il well/Gas well ther (specify below)	
Grout In What is 1 S S S S S S S S S S S S S S S S S S	tervals: From the nearest so Septic tank Sewer lines Watertight sew on from well?	ource of possible 4 Laters 5 Cess ver lines 6 Seep	From From Dement It. to	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG All TION: This water well wa	3 Bento ft.	tt., Fro ft., Fro ft.	onstructed, or (3 ord is true to the	14 Al 15 O 16 O PLUGGING II	co	
Grout In What is 1 S S S S S S S S S S S S S S S S S S	tervals: From the nearest so Septic tank Sewer lines Watertight sew on from well?	Durce of possible 4 Laters 5 Cess rer lines 6 Seep OR LANDOWNER //year)	From From Dement It to Scontamination: al lines pool age pit LITHOLOGIC TY R'S CERTIFICAT 19 19 1	ft. to ft. to ft. to ft. to ft. from ft., From ft. to ft. t	3 Bento ft. The second will record with the second	tt., Fro ft., Fro ft.	onstructed, or (ford is true to the on (mo/day/yr)	14 Al 15 O 16 O PLUGGING II	co	
7 CON complete Water Wunder the	JT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sew on from well? TRACTOR'S and on (mo/day Well Contractor the business na	DOR LANDOWNER Vyear) License No. June of Market	From From Dement It. to	ft. to ft. to ft. to ft. to ft. from ft., From ft. to ft. t	3 Bento ft. The second was full Record was fu	tt., Fro ft., Fro ft.	on Other	14 Al 15 O 16 O PLUGGING II	der my jurisdiction and water weller my jurisdiction and water weller my jurisdiction and water my jurisdiction and my jurisdiction and water my jurisdiction and water my jurisdiction and water my jurisdiction and my jurisdiction and water my jurisdiction and my jurisdiction an	