

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County LYON	Fraction NW 1/4 NW 1/4 SW 1/4	Section number 24	Township number T 19 S	Range number R 11 E
2. Distance and direction from nearest town or city: 2 mile East and 1 1/2 mile South			3. Owner of well: Glen Greenberg R.R. or street: Rt 4 City, state, zip code: Emporia			
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 14 in. Completion date 10-12-75 Well depth 55 ft.	
					7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
5. Type and color of material		From	To	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Top Soil & Fill - Blk		0	6	9. Casing: Material RMP Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 16 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight _____ lbs./ft. Dia. 5 in. to 22 ft. depth Wall Thickness: inches or Dia. 5 in. to 55 ft. depth gage No. 1200		
Clay - Brn		6	22	10. Screen: Manufacturer's name Sess & Lowell Type RMP Dia. 5" <input checked="" type="checkbox"/> Gauze <input checked="" type="checkbox"/> Length 13' Set between 22 ft. and 35 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4-3/8"		
SAND Med fine 22 Water		22	26	11. Static water level: _____ mo./day/yr. 22 ft. below land surface Date 10-12-75		
Gravel - Coarse - Brn		26	28	12. Pumping level below land surfaces: _____ ft. after _____ hrs. pumping _____ g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 20 g.p.m.		
Shale - Yellow		28	30	13. Water sample submitted: _____ mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____		
LIME Shell - Yellow		30	31	14. Well head completion: <input type="checkbox"/> Pitless adapter 16 Inches above grade		
Shale - Lite Blu		31	33	15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.		
LIME - Grey		33	36	16. Nearest source of possible contamination: ft. 200 Direction S Type stock Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Shale - Blu		36	38	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ Model number _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
LIME - Grey		38	40	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Zinn Water Well Drilling 218 Business name _____ License No. _____ Address West Springs, Kan Signed Joseph A. Zinn Date 10-12-75 Authorized representative		
Shale - Very lite Grey (white)		40	45	18. Elevation: _____ Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		
LIME - White		45	47	19. Remarks: 4'x4'x4" Concrete slab will be installed below ground level by Barney Barnhardt. He has been informed of the regulation T.R. Barnhardt		
Shale - Very lite Grey (whit)		47	48			
LIME - White		48	50			
Shale - Ver lite Grey (whit)		50	55			
(Use a second sheet if needed)						

T 19 S R 11 E Sec 24 NW 1/4 SW 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5