WATE	R WELL	RECORD	Form WWC-5	Form WWC-5 Division of Water Resources: App. No.					
		WATER WELL:						Range Number	
County:	nd directio	Lyon	NE 4 NE 4	NE 4	16	Oning System	(decimal dem	R 11 E	
County: Lyon NE ½ NE ½ NE ½ 16 T 19 S R 11 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? 701 W. 6 th , Emporia, KS Latitude: N 38.40485°									
Longitude: W 96.18955°									
2 WATER WELL OWNER: Sunset Equities, Inc. (Wendy's) RR#, St. Address, Box # : 1321 E. 1 st , PO Box 1283 Elevation: RIM: 1147.10 TOC: 1146.77 above mean sea level									
RR#, S	St. Address,	Box # : 1321 E.	. 1", PO Box 1283	1	Datum:	above mean so	ea level		
City, State, ZIP Code : McPherson, KS 67460 Data Collection Method: legal survey 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 35 ft.									
LOCATON MW4									
	AN "X" I	N Depth(s) Groun	ndwater Encountered 1			t. 2	ft. 3	ft	
1	ION BOX:	WELL'S STAT	TIC WATER LEVEL	33.20 ft.	below land	surface measu	red on mo/d	ay/yr 12/2/08	
	N Pump test data: Well water was ft. after hours pumping gpm								
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm									
NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
W 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well									
- sw sE									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
S Sample was submitted Water Well Disinfected? Yes No X									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
1 Ste	el	3 RMP (SR) 6	Asbestos-Cement	9 Other (s	pecify below	w)	Welde	d	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.33 ft., Weight lbs./ft. Wall thickness or gauge No.									
Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft.									
Casing height below land surface 0.33 ft., Weight lbs./ft. Wall thickness or gauge No.									
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 18 ft. to 35 ft. From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 18 ft. to 35 ft. From ft. to ft									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite (4) Other Concrete: 0-2 ft.									
Grout Intervals From 2 ft. to 18 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well									
Direction	from well?			How many	feet? ~120				
FROM	TO	LITHO	LOGIC LOG	FROM	ТО	PLUC	GING INTE	ERVALS	
0	1	Concrete							
1	4		moderate to high plasticity,	· 					
4	10	moist Clay w/ silt, gray-brow	n moderate to high	-					
	10	plasticity, moist	in moderate to mgn						
10	33		rown, high plasticity, moist						
33	35	Clay, tan, wet							
				ļ		larah ar ara	·	OW	
					F	lushmount wa	iver from E	OW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) 11/6/08 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mø/day/year) 1/15/09									
under the b	usiness nam	e of Larsen & Asso	ociates, Inc.	by (signatu	re)			·	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water.									
Geology Section, 1000 SW Jackson St., Suite 420. Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									