WATEI	R WEL	L RECORD Form WWC-5	Div	ision of Wa	iter Reso	ources; App. No.	
		F WATER WELL: Fraction	F 1/	Section No	ımber	Township Number	Range Number
County Lyon SW ½ SW ½ NE ½ 15 T 19 S R 11 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)							
located within city? 9 Mechanic st, Emporia, KS Latitude: N ° 2739.16 Longitude: W ° 2294.80							
2 WATI	ER WEI	L OWNER: Richard Cipra		Elevation: RIM: 1134.02: TOC: 1133.66			
RR#. S	ss, Box # : 23 Locust Lane		Datum: above mean sea level Data Collection Method: legal survey				
City, S	tate, ZIP	Code: Emporia, KS, 66801		Data Colle	ection N	Method: legal survey	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 35 Ft.							
LOCATON WITH AN "X" IN SECTION BOX: MW9 Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 25.68 ft. below land surface measured on mo/day/yr 4/9/09							
WITH	I AN "X"	'IN Depth(s) Groundwater Encountered l			ft. 2	ft. 3	ft.
SECT	ION BO	X: WELL'S STATIC WATER LEVEL 25	5.68 fi	t. below lar	nd surfa	ace measured on mo/e	day/yr 4/9/09
	N	Pump test data: Well water wa	1 S	ft.	after	hours pump	ing gpm
Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp							
NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
X 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
W E Domestic Feed tot 0 Off field water supply Dewatering 12 Other (Specify below)							
├─ siw -├─ sie							
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs							
S Sample was submitted Water Well Disinfected? Yes No X							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded							
1 / 2 / DV/C / A A DC 7 Eileangless W							
Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.36 ft., Weight lbs./ft. Wall thickness or gauge No.							
Casing height below land surface 0.36 ft., Weight lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft. From ft. to ft.							
		From f	t. to		ft. Fr	om ft. 1	to ft.
GRAVEL PACK INTERVALS: From 18 ft. to 35 ft. From ft. to f							
		From	t. to		ft. Fr	om ft. 1	to ft.
From ft. to ft. From ft. to ft. 6 GROUT MATERIAL: 1 Next cement 2 Cement group (3 Rentonite (4) Other Concrete: 0-2 ft							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-2 ft. Grout Intervals From 2 ft. to 18 ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
	er lines	5 Cess pool 8 Sewage lagoon (11)				andoned water well	below)
3 Wat	ertight se				15 Oil	well/ gas well	,
Direction from well? W How many feet? ~175							
FROM	TO	LITHOLOGIC LOG	FROM	TO		PLUGGING INT	ERVALS
0	4	Grass, Topsoil, Dark brown silty clay,		+ 1		1200011101111	
		moist, low plasticity					
4	10	Light brown mottled gray silty clay, moist,					
		low plasticity					
10	15	Light brown silty clay, very stiff, moist					
15	20	Light brown silty clay, less stiff, slightly					
20	30	moist Vight brown silty play loss stiff maist		-			
30	35	Light brown silty clay, less stiff, moist Light brown silty clay, less stiff, wet,					
		limestone with gravel		-	Flushn	nount waiver from l	ROW
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 4/7/09 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 6/22/09							
under the business name of Larsen & Associates, Inc. by (signature)							
INSTRUCTIONS. Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water,							
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.							
your roots as. The of \$5.00 for each constituted well. I say the at http://www.kdneks.gov/waterwell.							