WATER WELL RECORD Form WWC-5 Division of Water Resources: App. No.
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number Range Number County Lyon SW SW NE 15 T 19 S R 11 E
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digit:
located within city? 2 Commercial. Emporia. KS Latitude: N 38.39790° N 30.37700°
located within city? 2 Commercial. Emporia. KS Latitude: N 38.39790° Longitude: W 96.17993° Elevation: RIM: 1137.11: TOC: 1136.53
RR#. St. Address, Box # : 23 Locust Lane Datum: above mean sea level
City, State, ZIP Code : Emporia, KS. 66801 Data Collection Method: legal survey
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 35 ft.
LOCATON MW2R
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL 34.32 ft. below land surface measured on mo/day/yr 11/19/09
N Pump test data: Well water was ft. after hours pumping gpm
Est. Yield gpm: Well water was ft. after hours pumping gpm
NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below
W 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs
S Sample was submitted Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
2) PVC 4 ABS 7 Fiberglass Threaded X
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.58 ft., Weight lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)
1 Continuous slot 5 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft. From ft. to ft
From ft. to ft. From ft. to ft
GRAVEL PACK INTERVALS: From 18 ft. to 35 ft. From ft. to ft From ft. to ft. From ft. to ft.
From It. to It. From It. to It.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-2 ft.
Grout Intervals From 2 ft. to 18 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well
Direction from well? Within Former UST Basin How many feet? 0
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 3 Asphalt and limestone gravel, with dark brown
silt and clay, moist
3 30 Olive gray to brown silty clay, moderate plasticity, moist
30 35 Yellow brown silty clay with coarse sand, moderate
to high plasticity, wet
Flushmount waiver from BOW
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No
under the business name of Larsen & Associates, Inc. by (signature)
INSTRUCTIONS. Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water.
Geology Section, 1000 SW Jackson St., Suite 420. Topeka. Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.