WATER	R WELL	RECORD Form WWC-	5 Div	ision of Wat	ter Resources: App. No.						
1 LOCA	TION OF	WATER WELL: Fraction		Section Nu	mber Township Number Range Number						
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number County Lyon NW NW SE 15 T 19 S R 11 Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)											
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits located within city? 2 S Commercial, Emporia, KS Latitude: N 38.39790°											
located within city? 2 S Commercial. Emporia, KS Latitude: N 38.39790° Longitude: W 96.17993°											
2 WATE	R WELL	OWNER: Richard Cipra		Elevation:	RIM: 1136.74: TOC: 1136.27						
RR#.S	t. Address.	Box # : 23 Locust Lane	į i	Datum:	ahaya maan gaa layal						
City, S	tate. ZIP C	ode : Emporia. KS. 66801		Data Colle	ction Method: legal survey						
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 35.0 ft.											
LOCA				MW13							
WITH	AN "X" I	N Depth(s) Groundwater Encountered 1			ft. 2 ft. 3 ft.						
SECT	ON BOX:	WELL'S STATIC WATER LEVEL	26.56 ft	. below lan	d surface measured on mo/day/yr 11/18/09						
	Ν	Pump test data: Well water	was	ft. a	after hours pumping gpm						
	1	Est. Yield gpm: Well water	was	ft. a	after hours pumping gpm						
l ⊢NW		WELL WATER TO BE USED AS: 5	Public wa	ter supply	8 Air conditioning 11 Injection well						
W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											
									e submitted	to Departi	ment? Yes No X; If yes, mo/day/yrs
							S				ater Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
1 Ste	or Cash el	3 RMP (SR) 6 Ashestos-Cement	9 Other (s	enecify bel	ow) Welded						
2 PV	C	4 ARS 7 Fiberalass	y Other (s	specify ben	Threaded V						
Plank assi	na diamata	r 2 in to 20 ft Dia		n to	f Dia in to A						
PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.47 ft., Weight lbs./ft. Wall thickness or gauge No.											
1 Ste	el 3 Stai	nless steel 5 Fiberolass (7) PVC	9 А	RS	11 Other (specify)						
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft. From ft. to ft.											
SCREEN-	PERFORA	TED INTERVALS: From20	n. to	35	n. From n. to n.						
		From	π. to		ft. From ft. to ft.						
GR	AVEL PAG	CK INTERVALS: From 18	ft. to	35	ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From 18 ft. to 35 ft. From ft. to ft. From ft. to ft. From ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite (4)Other Concrete: 0-2 ft.											
Grout Intervals From 2 ft. to 18 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify											
1	er lines	5 Cess pool 8 Sewage lagoon (14 Abandoned water well below)						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
Direction	from well?	NE	How many	feet? 240	1t						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS						
0	0.5	Grass, topsoil									
0.5	1	Brown, silty clay with medium to coarse sand, low									
		to moderate plasticity									
1	4	Brown silty clay, moderate plasticity									
4	24	Lt brown mottled It gray silty clay, iron staining,	-	+							
24	35	low plasticity Olive gray silty clay, some iron staining, low			Water Market Mar						
	33	plasticity		1							
		processi		† † † †	Flushmount waiver from BOW						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
under my jurisdiction and was completed on (mo/day/year) 11/18/09 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed or (m)/(av/ear) 12/10/09											
under the business name of Larsen & Associates, Inc. by (signature)											
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for											
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											