WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Lyon	Fraction SE 14 SW 14 SW 14 SE 14	Section Number Township No. Range Number T 19 S R // XE W
Street/Rural Address of Well Location;	if unknown, distance & direction	Global Positioning System (GPS) information:
from nearest town or intersection: If at	owner's address, check here .	Latitude: N38.420132 (in decimal degrees) Longitude: W96.213404 (in decimal degrees)
Stop 2 Shop	2 00004	Elevation: (in decimal degrees)
2628 West 18th Street, Emporia, KS		Elevation:
2 WATER WELL OWNER: WAYS	of Contamany IINC.	Collection Method: ☐ GPS unit (Make/Model: Garmin Nuvi 760)
City, State, ZIP Code :	·次 295	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
News	tow, KS 67/14	Est. Accuracy:
3 LOCATE WELL	COMPLETED WELL 20	ft
WITH AN "X" IN SECTION BOX: 4 DEPTH OF (Depth(s) Ground	dwater Encountered (1)	ft. (2).N/Aft. (3).N/Aft.
N WELL'S STAT	IC WATER LEVELft.	below land surface measured on mo/day/yr
Pump test data: Well water was N/A ft. after N/A hours pumping N/A gpm		
EST. YIELD. N/Agpm. Well water was. N/Aft. after .N/Ahours pumping. N/Agpm gpm Bore Hole Diameter 8.25in. to .20ft., and .N/Aft.		
W E Bore Hole Diameter 9.29		
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
Irrigation Industrial Domestic-lawn & garden M Monitoring well Myv. I I		
Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted N/A		
Water well disinfected? Yes No		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued G Clamped G Welded 7 Threaded		
Casing diameter 2 in. to 5 ft., Diameter N/A in. to N/A ft., Diameter N/A in. to N/A ft.		
Casing height above land surface		
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From 5 ft to 20 ft From N/A ft. to N/A ft.		
From N/A ft to N/A ft. From N/A ft. to N/A ft.		
GRAVEL PACK INTERVALS: From . 3		
6 CPOUT MATERIAL. Next coment Cement grout Rentonite Other Concrete from 0-2'		
Grout Intervals: From .2		
What is the nearest source of possible contamination:		
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well		
Direction from well		from well<100ft
FROM TO LITHOLOG	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 .5 Asphalt	day Damp,	
11	ace Plastic	
10 11 ace and light B		
	on plastic	
1) Zo Shale, light Bro	ewas, weathered	
Sandy.		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .2/13/2012 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No7.59 This Water Well Record was completed on (mo/day/year) 3/4/2012		
under the business name of RAZEK Environmental, LLC by (signature) LVVVV (TOUCK)		
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		Check: White Copy, Blue Copy, Pink Copy