		LL RECORD	Form W	WC-5	Di	Division of Water Resources App. No.		
1 LOCATION OF WATER WELL: County: Coffey			Fraction NE 1/4 NE 1/4 SE	1/2 NF 1/4	Secti	tion Number   Township No.   Range Number   9   T   19   S   R   14   \( \overline{L} \)E \( \overline{L} \)W		
	Street/Rural Address of Well Location; if unknown, distance & direction  Global Positioning System (GPS) information:							
from nearest town or intersection: If at owner's address, check here . Latitude:					itude: .38.41477 (in decimal degrees)			
213 N Ogden, Lebo, KS 66856					Long	Longitude: 95.85832 (in decimal degrees)		
					Eleva	vation: 1162.22		
		ELLOWNER: D&S Se	ervice - Mark Swishe	rvice - Mark Swisher		Datum: WGS 84, NAD 83, NAD 27 Collection Method:		
RR#, Street Address, Box #: 213 N C			Daden			GPS unit (Make/Model:)		
City	, State, 2	CIP Code : Lebo, K	S 66856		Dat A	Digital Map/Photo, Topographic Map, Land Survey		
3 LOC	ATE WI				ESt. P	Accuracy:		
1	H AN "X	" IN 4 DEPTH OF	COMPLETED WEL	L .1.1'		ft. (2) ft. (3) ft.		
SEC	TION BO	Depth(s) Groun	dwater Encountered	(1) <b>!</b> \!	ft.	t. (2) ft. (3) ft.		
		l l Dumr	IC WAIEK LEVEL  Mell wate	r was	. below	w land surface measured on mo/day/yr		
N	N/	EST. YIELD	gpm. Well wate	r was	ft	ft. after hours pumping gpm		
w								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
S7	SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☑ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ASOW1							
	Was a chemical/bacteriological sample submitted to Department?  Yes No							
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS:  Glued  Clamped  Welded  Threaded								
Casing diameter 2 in. to 9 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface -3.36 in., Weight lbs./ft., Wall thickness or gauge No. Sch. 40 PVC								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:								
Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
	GIGT	ELIACK HALLIVALS,	From	ff to		ft From ft to		
From								
Grout Intervals: From .1								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lin☐ Sewer lines ☐ Cesspool			Sewage lagoon Fuel storage Abandoned water well			☐ Insecticide storage		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas w						Oil well/gas well Lust Site		
FROM	TO	n well	TOT OG			well		
0	1	LITHOLOG Crushed rock	IC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS		
1	8	Clay, silty						
8	11	Shale						
						ASOW1		
<del></del>								
***************************************								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .05/01/2013 and this record is true to the best of my/knowledge and belief.  Kansas Water Well Contractor's License No594 This Water Well Record was completed on mo/day/year/ 06/12/2013								
under the business name ofCoranço Great Plains, Inc by (signature)								
TROTHOC	TIONS:	Use typewriter or ball point pen	. PLEASE PRESS FIRMLY	and PRINT cla	early. Ple	lease fill in blanks and check the correct answers. Send three conic		
(white, blu	ie, pink) to	Kansas Department of Health	and Environment, Bureau	of Water, Geol	ogy Section	tion 1000 SW Jackson St. Suite 420 Toneka Kansas 66612-136		
http://wwv	Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							

KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy