WATER WELL RECO	RD Form WWC-5 Correction Change in Well Ust	Division of Water Resources App. No.	Well ID MW1R	
I LOCATION OF WA		SW 1/4 NW 1/4 10	Township Number Range Number T 19 S R 14 X E W	
2 WELL OWNER: Last Business: KDHE (City o Address: 1000 SW Jack Address:	Name: First: f Lebo) son		is located (if unknown, distance and direction If at owner's address, check here:	
City Topeka 3 LOCATE WELL WITH "X" IN SECTION BOX: N N	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1) 2) ft 3) ft, or 4) 2) ft 3) ft, or 4) WELL'S STATIC WATER LEVEL: 7 X below land surface, measured on (mo-official above labove land surface, measured on (mo-official	ft Longitude Dry Well Horizontal D .00 ft. day-yr) 8/31/22 day-yr) GPS (un ft X Land Sur gpm Online M ft Source X L ft C ft C	1167.66 ft Ground Level X TOC .and Survey GPS Topographic Map Other	
I Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial	 5 Public Water Supply: well ID 6 Dewatering: how many wells? 7 Aquifer Recharge: well ID 8 X Monitoring: well ID MW1R 9 Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 	12 Geothermal: How a) Closed Loop ctior b) Open Loop	D Uncased Geotechnical	
Water well disinfected? Yes X No 8 TYPE OF CASING USED: Steel X PVC Other CASING JOINTS: Glued Clampled Welded X Threaded Casing diameter 2 in. to 5 ft, Diameter in. to ft, Diameter in. to ft, Diameter in. to ft, Casing height above land surface -0.55 in. Weight Ibs./ft. Well thickness or gauge No ft, TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass X PVC Other (Specify) Steel Stainless Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot X Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)				
SCREEN-PERFORATED INT	ERVALS: From 5 ft. to 20 ft,	From ft. to ft,	From ft. to ft,	
GRAVEL PACK INTERVALS: From 3 ft. to 20 ft, From ft. to ft, From ft. to ft, 9 GROUT MATERIAL: Neat cement Cement grout X Bentonite X Other Concrete: 0-0.5' Grout intervals: From 0.5 ft, to 3 ft, From ft. to ft, Nearest source of possible contamination: Image: Contamination in the image: Con				
Septic Tank Sewer Lines Watertight Sewer Lines Other (Specity) Direction from well? Within basi	Lateral Lines Pit Privy Cess Pool Sewage Lago Seepage Pit Feedyard	Fertilizer Storage	Insecticide Storage Abandoned Water Well Oil Well / Gas Well ft	
10 FROM TO 0 0.5 Gra	LITHOLOGIC LOG	FROM TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	
0.5 10 Clay 10 20 Sha	y			
	ANDOWNER'S CERTIFICATION: This water	the direction of KDHE.	bo; U3-016-14515 llow groundwater, <20' of grout was installed at econstructed, or plugged under my	
	d on (mo-day-year) <u>3/29/22</u> and this record This Water Well Record was completed on (d is true to the best of my knowledge and (mo-day-year) 9/6/22		
Mail 1 white cop	y along with a fee of \$5.00 for each constructed well to: K on St., Suite 420, Topeka, Kansas 66612-1367. Mail one t	ansas Department of Health and Environmen		

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home TI95 RI4E Sec.10 KSA 829-1212 COFFEY

July 30, 2022

Jess Chapman Larsen & Assoc. 1311 E. 25th St., Suite B Lawrence, Kansas 66046

RE: Monitor Well Elevation Survey Lebo, Kansas

Proj. 22-00RR City of Lebo KDHE ID U3-116-14515

Bench Mark: Chisled Square on East end of concrete pump island at Broadway & Pine.Elev: 1167.86North 4022.40West461.87(from SE Cor. Sec. 9-19-14E)					
MW-1R	rim	1168.21	North	3872.90	NW1/4,NW1/4,SW1/4,NW1/4 (Sec. 10-19-14E)
	top pipe	1167.66	East	149.73	Lat = 38.41539 Long = 95.85731
MW-2R	rim	1166.94	North	3815.30	NW1/4,NW1/4,SW1/4,NW1/4 (Sec. 10-19-14E)
	top pipe	1166.38	East	139.99	Lat = 38.41524 Long = 95.85735
MW-3R	rim	1168.90	North	3936.67	NW1/4,NW1/4,SW1/4,NW1/4 (Sec. 10-19-14E)
	top pipe	1168.50	East	116.85	Lat = 38.41557 Long = 95.85743
MW-4R	rim	1167.04	North	3837.32	NW1/4,NW1/4,SW1/4,NW1/4 (Sec. 10-19-14E)
	top pipe	1166.72	East	45.22	Lat = 38.41530 Long = 95.85768
MW-5R	rim	1168.77	North	3922.94	NW1/4,NW1/4,SW1/4,NW1/4 (Sec. 10-19-14E)
	top pipe	1168.33	East	44.69	Lat = 38.41553 Long = 95.85768

Elevation derived from existing project. NAVD 88.

Lat & Long derived from Lebo 7.5 Quad Map WGS84

If you have ant/questions, please feel free to call me. Thank you for the opportunity to be




3:16 PM 09/28/22 Accrual Basis		Associates, Inc. NWC5 mber 28, 2022	KSA 822-1212 Coffey
Date	Name	Memo	Amount
09/28/2022	City of Lebo (formerly Emergency Site):AW(5)	9/2 U3-116-14515	25.00
09/28/2022	Goetsch-Irvine Motor Co Inc:AW(4) 09/21/22*	U5-081-00208	20.00
09/28/2022	Former Power Plant:LSA 09/29/22*	U5-057-15328	45.00
09/28/2022	Deines, Alvin:AW(4) 09/28/22*	U5-081-00012	20.00 110.00

1

RECEIVED SEP 29 2022 BUREAU OF WATER

3:16 PM 09/28/22 Accrual Basis	1	Ass <mark>ociates, Inc.</mark> NWC5 mber 28, 2022	
Date	Name	Memo	Amount
09/28/2022	City of Lebo (formerly Emergency Site):AW(5)	9/2 U3-116-14515	25.00
09/28/2022	Goetsch-Irvine Motor Co Inc:AW(4) 09/21/22*	U5-081-00208	20.00
09/28/2022	Former Power Plant:LSA 09/29/22*	U5-057-15328	45.00
09/28/2022	Deines, Alvin:AW(4) 09/28/22*	U5-081-00012	20.00
			110.00

TI9S RIHE Sec. 10 KSA 822-1212 COFFCY



C larsen & associates, inc.	PROJECT: City of Lebo Lebo, KS KDHE ID: U3-016-14515 Date: 3/29/22	 Approximate Location of Active AST, Product Line & Pump Islands Approximate Location of Former UST basin and Pump Islands Building with Basement Manway Existing Monitoring Well Private Well Plugged Well Monitoring Well at nearby site (not in scope) Wew Monitoring Well
1311 E 25th St., Suite B(785) 841-8707 officeLawrence, KS 66046(785) 865-4282 fax	0 100 feet	