	WATE	R WELL RECORD	orm WWC-	5 KSA 82a	-1212	•
1 LOCATION OF WATER WELL County: Coffee	L: Fraction SE 1/4	SE 14 NE		ction Number	Township Number	Range Number
Distance and direction from nea	rest town or city street a	ddrose of well if leasted	Sudding midding	<u> </u>		R /5 (E)W
Total Truck St	00-21544	.S.Hwy 75-	lebo			
2 WATER WELL OWNER: (AR#, St. Address, Box # : 1		•				
	Carnett, Ks.					, Division of Water Resource
3 LOCATE WELL'S LOCATION	WITH 4 DEPTH OF C	COMPLETED WELL &	20'	# FIEVA	Application Number:	
AN "X" IN SECTION BOX:	Depth(s) Ground	twater Encountered 1.4	/5,	ft. 2		3
T !	WELLS STATIC	WATER LEVEL ! >	16ft.t	pelow land surf	face measured on mo/day/y	1021-49
NW NE-	Pum	p test data: Well water	was	ft. af	ter hours p	oumping gpr
	Est. Yield	gpm; Well water	was	ft. af	ter hours p	umping gpn
* W 1 1 1	WELL WATER	FO BE USED AS: 5	Public wate		andi 8 Air conditioning 11	n. to
	1 Domestic				9 Dewatering 12	
	2 Irrigation	4 Industrial 7	Lawn and	garden only (1	Monitoring well	
		bacteriological sample su	bmitted to D		s; If ye	s, mo/day/yr sample was su
5 TYPE OF BLANK CASING U	mitted	E Manualitation			er Well Disinfected? Yes	(No
<b>—</b>	RMP (SR)	5 Wrought iron 6 Asbestos-Cement		ete tile (specify below		ed Clamped
2 BVC	DC.			•	•	ded
Blank casing diameter .2.37	Sin. jo. 5	ft., Dia	in. to		ft., Dia	. in. to
Casing height above land surface	erwan Mt.	.in., weight		lbs./f	t. Wall thickness or gauge I	No. 50R-21 Sch40
TYPE OF SCREEN OR PERFO 1 Steel 3 S		5 5th . '1	7 PV		10 Asbestos-cem	
	itainless steel Salvanized steel	5 Fiberglass 6 Concrete tile	8 RM 9 AB	1P (SR)		/)
SCREEN OR PERFORATION O			l wrapped	3	12 None used (o 8 Saw cut	pen noie) 11 None (open hole)
1 Continuous slot	Mill slot	6 Wire w			9 Drilled holes	11 Hone (open note)
2 Louvered shutter	4 Key punched	7 Torch o	cut,		10 Other (specify)	
SCREEN-PERFORATED INTER					1	
GRAVEL PACK INTER	From RVALS: From <b>21</b>	D' # to 3	<i>j</i>	ft., From	) ft. 1 ft.	toft
	From	ft. to		ft From	1	toπ
GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of po	Neat cement	2)Cement grout	, 3 Bento	nite , 4 (	Other	
Grout Intervals: From	3 6 C	ft., From 🔑	(3) ft.	to. 🗸	ft., From	ft. toft.
1 Septic tank	ossible contamination: 4 Lateral lines	7 Pit privy	9	10 Livesto	ock pens 14 A	Abandoned water well
•	5 Cess pool	8 Sewage lagoo	n	17 Fuel s		Oil well/Gas well Other (specify below)
3 Watertight sewer lines 6		9 Feedyard			cide storage	Strict (specify below)
Direction from well?				How man	y feet?	
FROM TO ASOL	LITHOLOGIC	LOG	FROM	TO	PLUGGING	INTERVALS
150 7.0 Bunch	MIL NOW OUL	les, nodo				
7.0 11.0 Bur-D	KBin clay "	rock strong	ills			
11.0 20.0 HBLD	shaley clay	L. HOURD , NO OCE	ου			
orid	I streaked, to	issul				
					F.M. OKA by	Q. Taylors
					1 11 11 2 2 2 2 2 2 3	· regue
CONTRACTOR'S OR LANDO	WNER'S CERTIFICATION	ON: This water well was	(1) construc	ted (2) recon	structed, or (3) plugged upo	der my jurisdiction and was
ONTRACTOR'S OR LANDO (completed on (mo/day/year)				and this record	l is true to the best of my kn	owledge and belief. Kansas
Water Well Contractor's License	No. 537	This Water Well	Record was	s completed or	(mo/day/yr) 12-32-	
under the business name of	DENULLATINE	ntal Brill	NJ	by (signatu		ee )
INSTRUCTIONS: Use typewriter or ba of Health and Environment, Bureau o	ili point pen. <u>PLEASE PRESS FII</u> f Water, Topeka, Kansas 66620	<u>RMLY</u> and <u>PRINT</u> clearly. Please -0001. Telephone: 913-296-5545	Hill in blanks, u	nderline or circle th VATER WELL OWN	ne confect answers. Send top three IER and retain one for your records	copies to Kansas Department