


# WATER WELL RECORD

## DRILLERS LOG OF WELL

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)	
9	0	9	soil
21	9	30	White lime
20	30	50	Blue sand
3	50	53	Blue shale
25	53	78	Blue lime
4	78	82	Gray shale
1	82	83	Blue lime
1	83	84	Coal or slate
12	84	96	Blue shale
6	96	102	White lime
8	102	110	Blue shale
10	110	120	Blue sand
1	120	121	Coal or slate
24	121	145	Gray shale (fine)
51	145	196	White sand (water)
2	196	198	slate or Black shale
38	198	236	Gray shale
10	236	246	Blue sand
5	246	251	Gray shale
3	251	254	White lime
2	254	256	Blue sand
10	256	266	White sand (coarse)
			Gray shale

Well Owner City of Waverly  
 Address city  
 Drilling Contractor H. P. Swank - Owner  
George H Swank - Driller  
 Date Drilled 6/12/61  
 Method of Drilling Cable Tools  
(Cable tool, rotary, reverse rotary, etc.)  
 Casing Schedule new 6 7/8 O.D.  
(Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)  
165' Plain casing 30' Screen  
60' Plain casing 10' Screen  
 Screen Data (if any): 10' at 255' to 265'  
(Length, Diameter, Slot Size, Setting)  
from 165' to 195' 40ft of no 10  
 Measured depth to water on completed well (Static Level) is 130 ft. below Land Surface  
(Land Surface, Top of Casing, Etc.)  
 TESTED YIELD: 28 + gallons per min.  
(Min., Hour)  
 as determined by Bailing  
(Bailing, Test Pumping, Etc.)  
 DRAWDOWN: 25 ft. after 30 min.  
 pumping at 22 gal. per minute.

REMARKS:

LOCATION OF WELL Topographic Sheet \_\_\_\_\_  
 [Show location in Section Plat] Elev. \_\_\_\_\_  
 SW SW SW Sec. 24  
 T. 19 S., R. 16 E.  
 County Coffey

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."