

# WATER WELL RECORD

## DRILLERS LOG OF WELL

	FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
12	0	12	Soil & Joint Clay
6	12	18	Yellow Lime Layers
25	18	43	White Lime
2	43	45	Blue Lime
7	45	52	Gray Shale
18	52	70	Blue Lime
3	70	73	Black Shale
88	73	81	Gray Shale
19	81	100	White Lime
15	100	115	White Shale
5	115	120	Blue Sand
1	120	121	Coal
2	121	123	Blue Lime
9	123	132	White Sand
10	132	142	Gray Shale
50	142	192	White Sand (water)
3	192	195	Coal
53	195	248	Gray Sandy Shale
3	248	251	White Lime
10	251	261	Gray Shale
2	261	263	White Lime
5	263	268	White Sand (water)
2	268	270	Gray Shale

Well Owner City of Waverly

Address Waverly, Kansas

Drilling Contractor H. R. Swank, Owner

George H. Swank, Driller

Date Drilled Dec. 2 to

Method of Drilling Cable Tools  
(Cable tool, rotary, reverse rotary, etc.)

Casing Schedule New Steel Casing  
(Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)  
6 1/2 Ft. Of New Steel

40 Ft. Brass Screen

Screen Data (if any): 6 1/2 Slot No. 10  
(Length, Diameter, Slot Size, Setting)

Measured depth to water on completed well (Static Level) is  
142 ft. below Land Surface  
(Land Surface, Top of Casing, Etc.)

TESTED YIELD: 20+ gallons per Min.  
(Min., Hour)  
 as determined by Bailing Test  
(Bailing, Test Pumping, Etc.)

DRAWDOWN: To 15 ft. after 1 Hr. hrs.  
 pumping at 20 gal. per minute.


**REMARKS:**

Casing Cemented from 140 Ft. To top of ground.

Well located About a 1/4 mile south of park.

LOCATION OF WELL Topographic Sheet \_\_\_\_\_

[Show location in Section Plat] North Elev. \_\_\_\_\_



SW 1/4 SW 1/4 Sec. 24

T. 19 S., R. 17 E.

County Coffey

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."



PSL-1490- 5/11/64