VATER WELL RECORD Form WWC-5				CORRECTED				
1 LOCATION OF WATER WELL:		Fraction	1/ SW 1/		Number 34	Township No. T 19 S	Range Number R 2 ZE W	
County: Marion Street/Rural Address of Well Location; i		SW 1/4 SW 1/4 NW				g System (GPS)		
from nearest town or intersection: If at owner's address, check here .					Latitude:			
131 South Main, Hillsboro, KS				Longitude: 97.20531 (in decimal degrees)				
					Elevation: .1431.74 Datum: UWGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: PR# Street Address Boy #: KDHE					Collection Method:			
RR#, Street Address, Box #: KDHE City, State, ZIP Code : 1000 SW JACKSON ST.				GPS unit (Make/Model:) Digital Map/Photo,  Topographic Map,  Land Survey				
City, State, 211 Code		A, KS 66612-					$3 5-15 \text{ m}, \square >15 \text{ m}$	
3 LOCATE WELL					A			
WITH AN "X" IN SECTION BOX:								
N	WELL'S STAT	IC WATER LEVEL2	2.60ft. below land surface measured on mo/day/yr					
	Pump test data: Well water wasft. after hours pumping gpm EST. YIELDgpm. Well water wasft. afterhours pumping							
IN WY IN L 1								
	Bore Hole Diameterft., and							
X-SW  SE   Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify     Image: Internation Industrial Industriad Industrial Industriad Industrial Industriad							Other (Specify below)	
							MVV4	
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? □ Yes ☑ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: 🔲 Glued 🗌 Clamped 🔲 Welded 🗹 Threaded								
Casing diameter .2. in. to .15' ft., Diameter in. to								
Casing height above land surface <u>3.00</u>								
Steel Stainless Steel VC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Louvered shutter 🗌 Key punched 🔲 Wire wrapped 🔲 Saw cut 🗌 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From						ft. to f ft to		
GRAVEL PACK INTERVALS. FIOID								
6 GROUT MATERIAL: Cement Cement grout Bentonite Other								
Grout Intervals: From .1 ft. to .13 ft., From ft. to ft., From ft. to ft. to ft.								
What is the nearest source of possible contamination:								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lin			Fertilizer		☐ Oil well/g	J	ıst Site	
Direction from well FROM TO	LITHOLO	GICLOG	FROM	TO			LUGGING INTERVAL	
	d limestone							
1 15 Clay, si	ltv							
	Ity, green-brow	in mottled					······································	
22 30' Weathe	ered shale					MW4	1	
							· · · · · · · · · · · · · · · · · · ·	
			-					
7 CONTRACTOR'S OF	LANDOWNE	<b>R'S CERTIFICATIO</b>	N: This wa	ter well v	vas 🔽 cons	tructed. Trecon	structed, or $\square$ plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖉 constructed, 🗌 reconstructed, or 🗋 plugged under my jurisdiction and was completed on (mo/day/year) .10/13/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No594 This Water Well Record was completed on (mo/day/year) .02/03.2011								
Kansas Water Well Contra	actor's License	No. 594 This This	Water Well	Record w	as complete	ed on (mo/day/ye	02/03.2011	
under the business name of INSTRUCTIONS: Use typew								
(white, blue, pink) to Kansas I	epartment of Healt	h and Environment, Bureau	of Water, Geo	logy Section	on, 1000 SW	Jackson St., Suite 42	20, Topeka, Kansas 66612-13	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us a http://www.kdheks.gov/waterwell/index.html.								