WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Controctors) Topeka, Konsas 66620

	County	Fraction		Section number		Township number	Range number		
1. Location of well:	Marion	9W1/4.SW1/4SW	1/4 .]	34	T 19 s	R 2	Øw	
2. Distance and direction from nearest town or city: in City 3. Owner of well: Marion M. B. Church									
Street address of well location if in city: South Washington City, state, zip cade: Marion Ko.									
4. Locate with "X" in section below: N						Well depth 22 ft. Completion date 12-71			
 	· i					7. Cable tool Rotary	Driven Dug		
NW NE					Hollow rod Jetted Bored Reverse rotary				
₩ 						8. Use: Domestic Public supply Industry			
						Irrigation Air conditioning Stock Oil field water Other			
						9. Casing: Material PIC Height: Above or below			
						Threaded Welded Surface in. RMP PYC Weight 1916.			
S RMP PVC Weight C7 90 lbs. I Mile I have a proper to pvc weight C7 90 lbs. Dia. 5 in. to 2 ft. depth Wall Thickness: inches a proper to pvc weight C7 90 lbs.									
5. Type and color of				From	То	Dia in. to ft. dep			
				-		10. Screen: Manufacturer's n	ame		
TOP SOIL				0	2	Type PVC	Dia. 5 "		
Vellaw Qlay				2	44	Slot/gauze	_ Length		
Jerrow Cray				111	77	Set betweenft. andft.			
Some Water				44	45	Gravel pack? Size ra		₽	
Plue Shale				43-	64	11. Statio water level:	Q mo	/゚ゔ゚ [゚] ゚゚゚ゔ゙゚゚゚゚ゔ゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚	
Water				64		ft. below land sur 12. Pumping level below land		2-7	
Ducker				1	66	ft. after h		_ g.p.m.	
Slue Shale				66	22	Estimated maximum yield —	ers. pumping	_ g.p.m.	
						13. Water sample submitted:	mo	_g.p.m. ./day/ут.	
						Yes XNo	Date		
				ļ ·		14. Well head completion:	lankar akana		
						Pitless adapter 15. Well grouted?	Inches above	grade	
						With: Neat gement Bentonite Concrete			
,				 		Depth: From ft. to		<u> </u>	
						16. Negrest source of possible ft Direction	contamination en	verdine	
·						Well disinfected upon comple	tion?Yes	No	
						17. Pump:	Not installed	ريا - ا	
				-		Manufacturer's name Model number	HP Vol		
						Length of drop pipe			
						Type: Submersible	Turbine		
	and the same of th			\vdash		Jet	Recipro	1 10	
	(Use a second s				<u> </u>	Centrifugal	Other	*K	
18. Elevation: 19. Remarks: Owner to run Concrete						20. Water well contractor's on This well was drilled under m		1 '	
Slab around Well						is true to the best of my knowledge and belief.			
Topography.						Bockhus Dry 106 Elense No.			
Slope 4 4 4 4 4 1 License No.									
Upland	, ,					Signed Bull S	Date Date	مارے اور	
Valley						Authorized rep	resentative or	2-22 × 12'	