CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

	County: Recartur
Location listed as:	Location changed to:
Section-Township-Range:	
Fraction (½ ¼ ¼):	<u> </u>
Other changes: Initial statements: Corrected wwc.	5 changed quanter call location,
Changed to: Longitude from: 94.76	080 To: 94.76108
placing well across the sti	080 To: 94.76108 reet, west from Wade's Service a described location.
Comments: and Deli where drille	u described location
verification method: Call to driller, K	23 mapping program
	initials: D date: 8/4/2010
submitted by: Kansas Geological Survey, Data Resources Library	1930 Constant Ave., Lawrence, KS 66047-3726

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.



WATER WELL RECORD Form WWC-5 Division of Water Resources App. No. 1 LOCATION OF WATER WELL: Fraction Section Number Township No. Range Number County: Linn SE 1/4 SE 1/4 SW 1/4 · 33 19 S R 24 **⊘**E □W Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Latitude: .N.38.34553..... (in decimal degrees) from nearest town or intersection: If at owner's address, check here . Longitude: W 94.76080 (in decimal degrees) Wade's Service and Deli Elevation: 402 East Market Street, LaCygne, KS 66040 Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 2 WATER WELL OWNER: Ms. Shirley Chambers Collection Method: ☑ GPS unit (Make/Model: Garmin Nuvi 760 RR#, Street Address, Box #: 22348 Valley Road ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey City. State, ZIP Code LaCyone, KS 66040 3 LOCATE WELL 4 DEPTH OF COMPLETED WELL 40 ft. WITH AN "X" IN Depth(s) Groundwater Encountered (1) ~30 ft. (2).N/A ft. (3).N/A ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr.... SECTION BOX: Pump test data: Well water was N/Aft. after N/A hours pumping N/A gpm Bore Hole Diameter 8.25 in. to .40 ft., and .N/A in. to .N/A ft. WELL WATER TO BE USED AS:
Public water supply
Geothermal ☐ Injection well Other (Specify below) ☐ Domestic ☐ Feedlot Oil field water supply Dewatering ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW-9. ☐ Irrigation Was a chemical/bacteriological sample submitted to Department?

Yes

No If yes, mo/day/yr sample was submitted N/A..... |-----l mile------Water well disinfected?
Yes
No Steel **▼** PVC Other 5 TYPE OF CASING USED: CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2 in to 25 ft., Diameter N/A in to N/A ft. Casing height above land surface 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40 TYPE OF SCREEN OR PERFORATION MATERIAL: ✓ PVC☐ None used (open hole) ☐ Stainless Steel Steel Other (Specify) Brass Galvanized Steel SCREEN OR PERFORATION OPENINGS ARE: From N/A ft. to N/A ft., From N/A ft. to N/A ft. GRAVEL PACK INTERVALS: From . 22 ... ft. to . 40 ... ft., From . N/A ... ft. to . N/A ... ft. From . N/A ... ft. ft. From . N/A ... ft. ft. What is the nearest source of possible contamination: Septic tank
Sewer lines
Sewer lines
Seepage pit
Seepag ☐ Insecticide storage Other (specify below) Abandoned water well Direction from well East Distance from well ...<1,00'..... LITHOLOGIC LOG FROM TO FROM TO LITHO, LOG (cont.) or PLUGGING INTERVALS SEE ATTACHED 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega} \) constructed, \(\sqrt{\omega} \) reconstructed, or \(\sqrt{\omega} \) plugged under my jurisdiction and was completed on (mo/day/year) 3.22-10...... and this record is true to the yest of my knowledge and belief. Kansas Water Well Contractor's License No. 759. This Water Well Record was completed on (rho/day) year) 5-7/10.

under the Water Well Record was completed on (rho/day) year) 5-7/10.

INSTRUCTIONS: Use typewriter or ball point pen.

INSTRUCTIONS: Use typewriter or ball point pen.

Please Film 1000 SW Jackson St. Sent three copies (white a blue pink) to Vancas Danathant of Health and Environment Bureau of Water Geology Sention 1000 SW Jackson St. Stone 470. Toneka Kaneas 66612-1367. (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.

Check: White Copy, Blue Copy, Pink Copy

KSA 82a-1212

