WATER WELL RECORD	Form WV	C-5 Division	of Water Resources App. No	0	
1 LOCATION OF WATER W County: Linn	Fraction SW ¼ SW ¼ SW	Section Nur		Range Number R 24 ☑E □W	
	ocation; if unknown, distance &	lirection Global Posi	itioning System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .			Latitude: .N.38,34553 (in decimal degrees)		
Wade's Service and Deli			Longitude: W94.76080 (in decimal degrees)		
402 East Market Street, LaCygne, KS 66040			Elevation:		
2 WATER WELL OWNER: Ms. Shirley Chambers		Collection M	Collection Method:		
RR#, Street Address, Box #: 22348 Valley Road		GPS un	GPS unit (Make/Model: GARMIN NUVI 760		
City, State, ZIP Code :	LaCygne, Kansas 66040	Kansas 66040 Digital Map/Photo, Topographic Map,		c Map, Land Survey	
			Est. Accuracy:		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.					
SECTION BOX: Depth(s) Groundwater Encountered (1). \sim 30					
N WELL'S STATIC WATER LEVELAS ft. below land surface measured on mo/day/yr11-15-10					
Pump test data: Well water was N/Aft. after N/A hours pumping N/A gpm					
EST. YIELD. N/Agpm. Well water was. N/A					
W E Bore Hole Diameter 9.42in. to .49tt., and .19/4tt.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SWSE					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well . M. W					
S If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .2 in. to .40 ft., Diameter .N/A in. to .N/A ft., Diameter .N/A ft.					
Casing height above land surface0					
TYPE OF SCREEN OR PERFORM					
☐ Steel ☐ Stainless Steel					
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From30 ft. to40 ft., From					
From N/A ft. to N/A ft., From N/A ft. to N/A ft.					
GRAVEL PACK INTERVALS: From unknown ft. to unknown ft., From N/A ft. to N/A ft. to N/A ft.					
6 CROUT MATERIAL: Next cement Cement grout PRentonite Other					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
What is the nearest source of possible contamination:					
Septic tank					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well					
	THOLOGIC LOG		THO. LOG (cont.) or PLU		
		0 0.5' Pate	ch (gravel, concrete, as	phalt)	
		0.5' 40' Ben	ntonite chips (hydrated)		
				11.00	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or \(\mathbb{Z} \) plugged					
under my jurisdiction and was completed on (mo/day/year) .11-15-10 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No759 This Water Well Record was completed on (np/day/year) .1/1328-19					
under the business name of RAZEK Environmental LLC by (signature) by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html					
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy					