	WA	TER WELL	RECO	ORD F	Form W\	WC-5	KSA 82	2a-1212	ID N	. Pz	2-25					
1 LOCATION OF WA	ATER WELL:	Fraction					Section Number			Township Number			Range Number			
County: LINA		SE				Nē		27	-	Τ	19	s	R	25		W
Distance and direction							within cit	ty?								
<i>ا</i> لم	1 MILES	EAST	OF (LA CH	16NE											
2 WATER WELL OW	VNER: KAN	SAS FOI	Wen	146	AT											
RR#, St. Address, Bo	x# : P.O.	Box 9	4181	644			0	_		Board	of Agric	ulture,	Division	of Water	Resc	ources
City, State, ZIP Code	: KAn	1545 G	74	MO	641	41-	46,49	<i>i</i>			ation Nu					
3 LOCATE WELL'S LO	OCATION WITH	4 DEPTH	OF C	OMPLETE	ED WEL	L 4.	1. Q	ft. E	LEVAT	ION:						
AN "X" IN SECTIO	N BOX:	Depth(s) G	roundv	vater Enc	ountere	d 1			ft. 2			ft. 3	3		1	ft.
<u>N</u>		WELL'S ST														
			-							ter						
NW	NEX	Est. Yield		gpm	n: Well v	water wa	as		ft. aft	ter		hours	pumping		. 	gpm
		Bore Hole														. ft.
<u> </u>		WELL WA	TER TO	O BE USI	ED AS:								-			
		1 Dome		3 Feed						Dewatering			•	pecify be		
sw	SE	2 Irrigat	tion	4 Indus	strial	7 Dom	estic (law	n & gard	len)(10	Menitoring	well					· • • •
↓	1	Was a cher	nical/ba	acteriologic	al sampl	le submit	ted to De	oartment	? Yes	No.	: 1	If ves.	mo/dav/v	vrs samp	le was	s sub-
<u>- </u>		mitted		J.						Well Disinf					lo _	
5 TYPE OF BLANK	CASING USED:		5	Wrough	t iron		8 Concre	ete tile		CASIN	IG JOIN	TS: Glu	ied	Clamp	ed	
Steel	3 RMP (SI	R)	6	3 Asbesto	os-Ceme		9 Other									
(2) vc	4 ABS		2	Fibergla	iss							Thr	eaded	X		
Blank casing diamete																
Casing height above	land surface	36	in.	., weight .	⋦	CH 4	4.Q		. lbs./ft	t. Wall thick	kness or	gauge	No			
TYPE OF SCREEN	OR PERFORAT	TION MATE	RIAL:				(7P)v	С		1	0 Asbes	tos-ce	ment			
1 Steel	3 Stainless	s steel	5	5 Fibergla	ess		8 RM			1	1 Other	(specify	/)			
2 Brass	4 Galvaniz			3 Concret			9 ABS				2 None	used (d	pen hole	э)		
SCREEN OR PERF			:				wrapped						11 No	one (opei	n hole))
1 Continuous slo					6 V	Vire wrap	pped			9 Drilled						4
2 Louvered shutt SCREEN-PERFORA		ey punched		7	7 1	orch cu	19.7			10 Other (
GRAVEL F	PACK INTERVAL	S: From	24	6	ft. to	0	14.0	ft.,	From			ft.	to			ft.
		From			ft. to	0		ft.,	From .			ft.	to			ft.
6 GROUT MATERIA	L: 1 Neat co	ement	2	Cement	grout		3 Benton	nite	4.0	ther						
Grout Intervals: Fro			1.8) ft	From	C	ft	to		ft Fr	om		ft. to			ft.
What is the nearest										ock pens				ed water		
1 Septic tank	•				7 Pit n	rivv				torage						
2 Sewer lines	5 Cess					age lago				er storage				pecify be	elow)	
3 Watertight sewer lines 6 Seepage pit				9 Feedyard				13 Insecticide storage				,				
Direction from well?		g p				,			w many							
FROM TO		ITHOLOGI	CLOG	3		l F	ROM	TO	17	, 1001.	PLUG	GING	NTERVA	ALS		
0 3	Tru -	FLY A														
3 9	CAAU -	DIC. F			146.1											
		PLA		_	THOP	.		-								
9 12.5	SHALE .		<u> </u>	Shig	47											
	014700		V 13-14-E	JUN 6												
12.5 24.6	SHAWE -	1164		RAY		4										
1010	2177700		ARK		11003	321										
			V 11-7								F	₹EC	EIVE	-D		
												SEP	0 2 20	104		
											BUF	REAU	OF W	ATER		
7 CONTRACTOR'S	OR LANDOWNE	R'S CERTIF	CATIC	DN: This	water we	ell was (1) onstr	ucted, (2	2) recor	nstructed, o	or (3) plug	gged u	nder my	jurisdictic	n and	was t
 completed on (mo/day		07/14/	04			-				is true to t						
Water Well Contractor		52	9	Th	nis Wate					n (mo/day/		8/0	41.0	Я		
under the business na	_	FTECHNO						•	oy (sigi			λ'_{\perp}	-//			
INSTRUCTIONS: Use type	<u> </u>	·				loos for to	bloot-s				aus	W/Z	Mark	long done of t	of Mack	n and
Environment, Bureau of W															, riediin	, and