		Fraction	Section	Number	Township Number	Range Number
	County: Street/Rural Address of Well Location;		1/4 Clobal P	ocitioning (Systems (CPS) infor	mation:
	direction from nearest town or intersect		Latitude:	usitiviling i	systems (G1 5) mior	(in decimal degre
	check here	ion. If at 6 wher 5 address,	Longitud	e:		(in decimal degre
			Elevation	:	S84, □ NAD83	NAD27
				n Method:	304, NAD03	, \square NAD21
2	WATER WELL OWNER:					
_	RR#, St. Address, Box #:	Dig	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	City, State ZIP Code:		Est. Accur	racy: \square <	$_{3 \text{ m}}$, $\square_{3-5 \text{ m}}$, \square	$\int_{5-15 \text{ m}}$, $\square > 15 \text{ m}$
2	MADE WELLS LOCATION	4 DEPEN OF WELL				
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION	4 DEPTH OF WELI	<u> </u>	It.		
	BOX:	WELL'S STATIC WATER LEVEL ft				
		WELL WAS USED	AS:			
	NW NE	Domestic	☐ Public V	Water Suppl	ly Dewa	atering
		Irrigation	Public V Oil Fiel Domest	d Water Suj	oply Moni	toring
W	Е	Feedlot	Domest	ic (Lawn &	Garden) Injec Other	tion Well
5	SW SE	☐ Industrial	☐ Air Cor	lattioning	□ Other	r
		Was a chemical/bact	eriological sar	nple submit	ted to Department?	Yes No
	S TYPE OF BLANK CASING USE	ND.				
_	TITE OF BEATIN CAULTO CHED.					
	☐ PVC ☐ ABS	Asbestos-Cement	Concrete Tile	_		
	Blank casing diameter in. Casing height above or below land	Was casing pulled? Yes		_	w much	
6	Blank casing diameter in. Casing height above or below land	Was casing pulled? Yes	No 🗌	If yes, ho		
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL:	Was casing pulled? Yes surface in.	No No ement grout	If yes, ho	ite Other	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From	Was casing pulled? Yes surface in. Neat cement Cement ft., Ft.	No No ement grout	If yes, ho	ite Other	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible processing the process of the process o	Was casing pulled? Yes surface in. Neat cement Ce ft. to ft., Fe tole contamination:	ement grout	If yes, ho Benton	ite Other	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank S	Was casing pulled? Yes surface in. Neat cement Ceee ft., Feele contamination: eepage pit Fue	ement grout	If yes, ho Benton	ite Other	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout fromt el storage tilizer storage ecticide storage	If yes, ho Benton ft. to	ite Otherft., From Other (specify below)	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank S Sewer lines P Watertight sewer lines S Lateral lines F	Was casing pulled? Yes surface in. Neat cement Compared to ft., For the contamination: leepage pit	ement grout romf el storage tilizer storage ecticide storage undoned water	If yes, ho Benton ft. to e well Dir	oite Other _ft., From Other (specify below) ection from well?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank S Sewer lines P Watertight sewer lines S Lateral lines F	Was casing pulled? Yes surface in. Neat cement Compared to ft., For the contamination: leepage pit	ement grout fromt el storage tilizer storage ecticide storage	If yes, ho Benton ft. to e well Dir	oite Other _ft., From Other (specify below) ection from well?	ft. to ft.
6	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Yes surface in. Neat cement Compared to ft., For the contamination: leepage pit	ement grout romf el storage tilizer storage ecticide storage undoned water	If yes, ho Benton ft. to e well Dir	Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout romf el storage tilizer storage ecticide storage andoned water well/Gas well	If yes, ho Benton ft. to e well Dir Ho	Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout romf el storage tilizer storage ecticide storage andoned water well/Gas well	If yes, ho Benton ft. to e well Dir Ho	Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout romf el storage tilizer storage ecticide storage andoned water well/Gas well	If yes, ho Benton ft. to e well Dir Ho	Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
66	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout romf el storage tilizer storage ecticide storage andoned water well/Gas well	If yes, ho Benton ft. to e well Dir Ho	Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
66	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout romf el storage tilizer storage ecticide storage andoned water well/Gas well	If yes, ho Benton ft. to e well Dir Ho	Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout romf el storage tilizer storage ecticide storage andoned water well/Gas well	If yes, ho Benton ft. to e well Dir Ho	Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Physical Plug	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout romf el storage tilizer storage ecticide storag undoned water well/Gas well FROM	If yes, ho Benton ft. to e well Dir Ho	otherft., From Other (specify below) ection from well? w many feet? PLUGGING	ft. to ft.
7	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Physical Plug	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout rom	If yes, ho Benton ft. to e well Dir Ho TO	other ft., From Other (specify below) ection from well? w many feet? PLUGGING was plugged under r	ft. to ft. G MATERIALS my jurisdiction and y
7	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Physical Plug	Was casing pulled? Yes surface in. Neat cement Compared to the property of the proper	ement grout rom	If yes, ho Benton ft. to e well Dir Ho TO	other ft., From Other (specify below) ection from well? w many feet? PLUGGING was plugged under r	ft. to ft. G MATERIALS my jurisdiction and v
7 com We:	Blank casing diameterin. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Physical Plug	Was casing pulled? Yes surface in. Neat cement Cement Cement Temperature in the prive of the prive o	ement grout rom	If yes, ho Benton ft. to e well Dir Ho TO vater well v to the best completed of	other Other ft., From Other (specify below) ection from well? w many feet? PLUGGING PLUGGING was plugged under r of my knowledge and on (mo/day/year)	my jurisdiction and belief. Kansas Wallington

KSA82a-1212

Revised 1/29/2014