WATER WELL RECORD	Form WWC-5	. Di	vision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL:	Fraction		on Number	Township No.	Range Number	
County: Marion	SW/4SW/4SW/4	1/4 3		T /4 S	R 3 DE W	
Street/Rural Address of Well Location;			System (GPS) in	ntormation: (in decimal degrees)		
from nearest town or intersection: If at owner's address, check here .					(in decimal degrees) (in decimal degrees)	
10\0(1)\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\			Elevation:			
2 WATER WELL OWNER, A 1 2 1/25		<u>Datur</u>	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: A lan Hett RR#, Street Address, Box #: 1767 14085			Collection Method:			
City, State, ZIP Code : Name of the code			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
main i	on to 66 f61	Est. A	sccuracy: \square	3 m, ☐ 3-5 m, ☐	5-15 m, $\square > 15$ m	
3 LOCATE WELL		ノクィー				
WITH AN "X" IN 4 DEPTH OF Depth(s) Groun	COMPLETED WELL	1.973	ft.	Ω ((2)	
N Depth(s) Groun	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c					
	Pump test data: Well water wasft. after hours pumping gpm					
NW NE EST. YIELD	EST. YIELD. Spm. Well water was					
W Bore Hole Diameterin. toft., andin. toit.						
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
S If yes, mo/day/yr sample was submitted						
Water well disinfected?						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter in. to						
Casing diameter in to 23 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface in, Weight DR.24 lbs./ft., Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.						
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft., From ft., From ft.						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well						
FROM TO LITHOLO	GIC LOG FRO	OM TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 25 Line						
STLB YEllow Sha	cle					
1.0 000 1500						
60 75 hime						
75- 100 Blue Shall	2					
100 112 Lime	Name of the state					
112 113 Water						
113 125 13/00 h Cra	y Shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Z constructed, _ reconstructed, or _ plugged						
under my jurisdiction and was completed on (mo/day/year)						
under the business name of Back huc. Definition by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Healt	h and Environment, Bureau of Wate	er, Geology Sect	ion, 1000 SW Ja	ackson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WA http://www.kdheks.gov/waterwell/index.html.	LIEK WELL OWNER and retain o	ne for your reco	oras. Include <u>fe</u>	e or \$5.00 for each	constructed well. Visit us at	
KSA 82a-1212						