Correction Change in Well Use Resources App. No. Well ID
County: Marion Moves Seventral Total Seventral Total Street Well Well
Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: Address:
Address: 509 LinColn City: Marion State: 50 ZIPCOL 3 LOCATE WELL WITH "X" IN SECTION BOX: N WELL'S STATIC WATER LEVEL: 3
Address: 509 LinColn City: Marion State: 50 ZIPCOL 3 LOCATE WELL WITH "X" IN SECTION BOX: N WELL'S STATIC WATER LEVEL: 3
State S ZIP S ZI
SECTION BOX: N
Depth(s) Groundwater Encountered: 1) Section Box: Depth(s) Groundwater Encountered: 1) Depth(s) Groundwater Encountered: 1) Section Box: Depth(s) Groundwater Encountered: 1) Depth(s) Groundwate
2
WELL'S STATIC WATER LEVEL:
Above land surface, measured on (mo-day-yr) Above land surface,
Pump test data: Well water was
W
Well water was
S Bore Hole Diameter:
S Bore Hole Diameter:
mile
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID
1. Domestic: 5. Public Water Supply: well ID
TV I beld 6 D Devertoring a heavy money wells? 11 Test Heles, well ID
☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnical
□ Livestock 8. □ Monitoring: well ID 12. Geothermal: how many bores? 2. □ Irrigation 9. Environmental Remediation: well ID a) Closed Loop □ Horizontal □ Vertical
3. Feedlot Signature Soil Vapor Extraction Signature Soil Vapor Extraction Signature S
4. Industrial Recovery Injection 13. Other (specify):
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:
Water well disinfected? Ves No
8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other
Casing diameter
TYPE OF SCREEN OR PERFORATION MATERIAL: Weight A. DIJ. 22 lbs./ft. Wall thickness or gauge No. (3.7.7
Steel Stainless Steel Fiberglass ☐ FVC Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From
GRAVEL PACK INTERVALS: From
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout Intervals: From
Nearest source of possible contamination:
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage Image: Image
Other (Specify)
Direction from well? Distance from well? 100 + ft.
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
2 3 top Soiles
3 25 Yellow Shale
23 50 Blue Shale
50 52 Crumbled Shale + Water
Notes:
52 60 Gray Shule
52 60 Gray Shule Notes:
Notes: 52 60 Gray Shule 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Deconstructed, reconstructed, or plugged
Notes: 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 6.22
Notes: 52 60 Gray Shule 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Deconstructed, reconstructed, or plugged
Notes: Solution Notes: