


1 LOCATION OF WATER WELL: County: Marion Fraction: SW 1/4 SW 1/4 SW 1/4 Section Number: 36 Township Number: T 19 S Range Number: R 4 EW

Distance and direction from nearest town or city street address of well if located within city?
4 Mile East of Marion

2 WATER WELL OWNER: Allen Beisel
 RR#, St. Address, Box #: Rt 1
 City, State, ZIP Code: Marion KS 66861
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 105 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 93 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: 82 ft. below land surface measured on mo/day/yr Jul 2 94
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 20 gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: 9" in. to 40 ft., and 6 1/2 in. to 105 ft.
 WELL WATER TO BE USED AS:
 Domestic Feedlot Oil field water supply Dewatering Injection well
 Irrigation Industrial Lawn and garden only Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 Steel RMP (SR) Asbestos-Cement Other (specify below) Welded
 PVC ABS Fiberglass Threaded
 Blank casing diameter: 5 in. to 85 ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface: 18 in., weight lbs./ft. Wall thickness or gauge No. SDR-26
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless steel Fiberglass RMP (SR) Asbestos-cement
 Brass Galvanized steel Concrete tile ABS Other (specify) None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot Mill slot Gauzed wrapped Saw cut None (open hole)
 Louvered shutter Key punched Wire wrapped Drilled holes
 Torch cut Other (specify)
 SCREEN-PERFORATED INTERVALS: From 85 ft. to 105 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
 Grout Intervals: From 3 ft. to 40 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Abandoned water well
 Sewer lines Cess pool Sewage lagoon Fuel storage Oil well/Gas well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Other (specify below)
 Insecticide storage
 Direction from well? North How many feet? 200

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Top Soil	82	90	Shale Yel & Frag lime
1	5	Shale Gray	90	93	Shale - olive (sluffin)
5	6	Lime	93	96	LIME TAN
6	9	Shale Green	96	105	Shale Gray-Dark
9	17	Red Rock			
17	21	LIME TAN			
21	28	Shale TAN			
28	43	LIME TAN			
43	45	Shale TAN			
45	52	LIME TAN			
52	56	Shale TAN			
56	59	Lime TAN			
59	66	Shale TAN			
66	67	Lime TAN			
67	82	Shale Green			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) Jul 2 94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo/day/yr) Jul 25 94 under the business name of Zinn Water Well Dnlg by (signature) Joseph A. Zinn