WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number T S R XE W  Global Positioning System (GPS) information:
County: Marion	No/4 NW/4 Se 1/4	$ V_{4} $ $ V_{6} $ $ V_{$
Street/Rural Address of Well Location;	if unknown, distance & direction	Global Positioning System (GPS) information:
from nearest town or intersection: If at	owner's address, check here <b>\( \sigma</b> \).	Latitude: (in decimal degrees)
		Longitude: (in decimal degrees)
		Elevation:
2 WATER WELL OWNER: 4 1/0	n langl	
2 WATER WELL OWNER: A // e RR#, Street Address, Box #: 234	BUDGE A RA	Collection Method:  GPS unit (Make/Model:)
L'its: State 'ZID C'ode		Digital Man /Dhata Trans amount is Man Trans d Common
ma	rion, Ksbb 861	Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m
13 LOCATE WELL		
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL る。	ft. (2) ft. (3) ft.
SECTION BOX: Depth(s) Groun	dwater Encountered (1)	<b>5</b> ft. (2) ft. (3) ft.
N WELL'S STAT	IC WATER LEVEL	.ft. below land surface measured on mo/day/yr.3-23-10
Pum	test data: Well water was	ft. after hours pumping gpm
EST. YIELD	Well water was	ft. after hours pumping gpm
		ft., andft.
		water supply Geothermal Injection well
Domestic Land	☐ Feedlot ☐ Oil field w	vater supply Dewatering Other (Specify below)
		lawn & garden  Monitoring well
	/day/yr sample was submitted	d to Department? 🔲 Yes 🕱 No
	nfected? 🗹 Yes 🔲 No	•••••
	<del>-</del> -	
5 TYPE OF CASING USED: Steel 🔀 PVC 🗆 Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter in. to ft., Diameter in. to ft., Wall thickness or gauge No. 2.4.		
Casing height above land surface		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ VPVC ☐ Other (Specify)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From		
From		
GRAVEL PACK INTERVALS: From		
Fromft. toft., Fromft. toft.		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.		
Grout Intervals: From		
What is the nearest source of possible cont		olemana
☐ Septic tank ☐ Lateral li ☐ Sewer lines ☐ Cesspool		
	pit Feedyard Fertilizer	
		ce from well 100 +
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 4 Clax		
4 35 Hard Lima	?	
35 45 YELLOW Cha	le	
45-46 Water		
46 SD Gray Shall	ه ا	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, Treconstructed, or plugged		
under my jurisdiction and was completed on (mo/day/year) 3.23.77. and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No		
Kansas Water Well Contractor's License No		
under the business name of . 13acts	hu.S.Drilliga	by (signature) all H. Barkkum
		clearly. Please fill in blanks and check the correct answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		