KOLAR Document ID: 1442099

	WELL R			WWC-5		ision of Wat			Well ID		
	Original Record Correction Change in Well Use LOCATION OF WATER WELL: Fraction					11			ige Number		
County: 1/4 1/4 1/4						$\begin{array}{c c} T & S & R & \Box E \Box W \end{array}$					
2 WELL OWNER: Last Name: First: S						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCAT	E WELL	1 ПЕРТИ		IDI ETED WELL.	ft	5 Latit	tuda			(1 : 11)	
	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)										
	SECTION BOX: N $2) \dots ft. 3) \dots ft. or 4) \square$										
1	WELL'S STATIC WATER LEVEL:						ce for Latitude/Longitude:				
		 below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) 					GPS (unit make/model:)				
NW	NE				(WAAS enabled? \Box Yes \Box No)						
			p test data: Well water was ft. after hours pumping gp					urvey 🗌 Topogra			
W	E	anci	Well water was ft.				Online	Mapper:	•••••		
SW	X -SE	after	after hours pumping gpm								
		Estimated Y			6 Elevation:ft. Ground Level TOC						
				in. to		Source: Land Survey GPS Topographic Map					
1 n		DE LICED		in. to	ft.						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
	□ Household										
	Lawn & Garden 7. Aquifer Recharge: well ID						\Box Cased \Box Uncased \Box Geotechnical				
Livesto	$\Box \text{ Livestock} \qquad 8. \Box \text{ Monitoring: well ID} \dots \dots \dots$							l: how many bores			
2. 🗌 Irrigati				al Remediation: well ID				Loop 🔲 Horizonta			
	3. 🗌 Feedlot 🔅 🗋 Air Sparge 🔅 Soil Vapor E				Extraction		b) Open Loop Surface Discharge Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
	Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. or ft. to ft. to ft. to ft. to ft. to ft. to											
9 GROUT MATERIAL: Deat cement Cement grout Bentonite Other											
Grout Interv	als: From	ft. to		ft., From	ft. to	ft., From					
				potential source of cont							
			Lateral Line			Livestock P			•		
Sewer I		ies 🗆 S	Cess Pool	Sewage Lag		Fuel Storage		Abando			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	TO	LITH	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged											
under my i	under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.										
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Rec	ord was co	omplet	ed on (mo-day-ye	ear)		
under the b	usiness name	of									
KS Departm				ELL OWNER and retain of Vater, Geology Section, 10						2785-296-3565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											