WATER WELL RECORD	Form WWC	C <b>-5</b>	Division of Wate	r Resources App. No		
1 LOCATION OF WATER WE. County: MARION	LL: Fraction SW 1/4 NE 1/4 NE 1/4		ction Number 15	Township No. T 19 S	Range Number R 5 ☑E □W	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .		re 🗹. La	Latitude: (in decimal degrees)  Longitude: (in decimal degrees)			
		El	evation:	4, □ NAD 83, □		
2 WATER WELL OWNER: BILL VINDUSKA RR#, Street Address, Box #: 2867 230 RD		<u>C</u> c	Collection Method:  GPS unit (Make/Model:)			
at a supplied to			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	MARION COUNTY, KS. 66861	<u>Es</u>	t. Accuracy: <	3 m, 3-5 m,	5-15 m,  >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 75						
SECTION BOX: Depth(s)	Groundwater Encountered (1)	67	ft (2)	ft (	(3) ff	
N WELL'S	Groundwater Encountered (1) STATIC WATER LEVEL. 8	ft. belo	w land surface i	neasured on mo/d	av/yr. 05/30/12	
<del>                                    </del>	Pump test data: Well water wasft. after hours pumping gpm					
EST. YII	EST. YIELD. 50=gpm. Well water wasft. after					
W         E   Bore Hole Diameter 9.3/9in. to .49ft., and .fin. to .69ft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)   Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? ☑ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded						
Casing diameter .5 in. to .75 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface15						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)						
From						
GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft.						
From						
6 GROUT MATERIAL: V Neat cement						
Grout Intervals: From .3						
What is the nearest source of possible contamination:   Septic tank						
Sewer lines Cesspool  Sewage lagoon  Fuel storage  Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well WEST			well150.F.T.		CODIC DITERVALC	
FROM TO LITH	IOLOGIC LOG F	ROM TO	LITHO, LC	or PLU	GGING INTERVALS	
4 10 SHALE LITE GR	PAY					
10 13 GRAVEL IN BRO						
13 41 LIME GRAY	TOTAL STATE					
41 44 SHALE GRAY						
44 67 LIME & BLUE FI	LINT					
67 68 CREVICE ARTE						
68 75 LIME & BLUE FL	LINT					
7 CONTRACTOR'S OR LANDOW/NER'S CERTIFICATION, This was a second of the s						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .05/30/12 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo/day/year) .06/12/12						
under the business name of ZINN WATER WELL DRILLING by (signature) A Carey Land						
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. I nelude fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html						
KSA 82a-1212			Check:  Wh	ite Copy, 🔲 Blu	ie Copy, Pink Copy	