KOLAR Document ID: 1601037

	WELL R			WWC-5		ivision of Wat						
		Correction		ge in Well Use		sources App.			Well ID			
1 LOCATION OF WATER WELL: Fraction County: 1/4					Section NumberTownship Number1/4TS				ge Number			
county.						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
						irection from nearest town or intersection): If at owner's address, check here:						
Address:					uncetion non							
Address:			G	700								
City:			State:	ZIP:								
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:												
	SECTION BOX. Depth(s) Groundwater Encountered: 1)					— •						
Ν	Ν			3) ft., or 4) [TER LEVEL:		Datum: 🗌 WGS 84 🔲 NAD 83 🔲 NAD 27						
				-yr)		Source for Latitude/Longitude:						
NW	NE			-yr)		(WAAS enabled? Yes No)						
		Pump test d					Survey 🗌 Topogra					
w	E	after	hours Well w			Online Mapper:						
SW	SE	after										
		Estimated Y		Spin	6 Elevation:ft. Ground Level TOC							
	S	Bore Hole I		ft. and	Sour	Source: Land Survey GPS Topographic Map						
1 r				ft.			Other					
7 WELL WATER TO BE USED AS:												
	1. Domestic: 5. Public Water Supply: well ID C. Domestician homestry well 2. 											
			6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID									
			g: well ID			al: how many bores						
2. 🗌 Irrigati	2. Irrigation 9. Environmental Remediation: well ID					a) C	a) Closed Loop \Box Horizontal \Box Vertical					
	3. 🗌 Feedlot 🗌 Air Sparge 🗌 Soil Vapo											
	4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Nearest sou	rce of possibl	e contaminati	on: No	potential source of cor								
			Lateral Line			Livestock P			cide Storage			
Sewer D			Cess Pool	☐ Sewage La		Fuel Storag			oned Water	well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well?												
10 FROM	TO	Ι	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
							<u> </u>					
						-						
					Notes:	1	I					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)												
under my ju	urisdiction ar	nd was comp	leted on (n	no-day-year)	and	d this record	is tru	te to the best of m	y knowled	ge and belief.		
				This Wa								
		Send one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fee of \$	5.00 f	for each constructed we	211.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												
Visit us at h	ttp://www.kdhe	ks.gov/waterwel	l/index.html						KS	SA 82a-1212		