


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Chase	NW 1/4 SE 1/4 NW 1/4	14	T 19 S	R 6 EW

Distance and direction from nearest town or city street address of well if located within city?

5 1/2 Mile West North West of Elmdale

2 WATER WELL OWNER:	RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources
Jim Donahue #1	R61 Box 48	Lincolnville KS 66858	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ELEVATION:
	Depth(s) Groundwater Encountered 1 18 ft. 2 18 ft. 3 18 ft.	ft. 3 18 ft.
	WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr Oct 15 04	
	Pump test data: Well water was 15 gpm: Well water was 15 ft. after 15 hours pumping 15 gpm	
	Est. Yield 15 gpm: Well water was 15 ft. after 15 hours pumping 15 gpm	
	WELL WATER TO BE USED AS:	
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well	
	Was a chemical/bacteriological sample submitted to Department? Yes No X: If yes, mo/day/yr sample was submitted	Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			
Blank casing diameter 5 in. to 18 ft. Dia			
Casing height above land surface 24 in., weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-Cement	
1 Steel	8 RMP (SR)	11 Other (Specify)	
2 Brass	9 ABS	12 None used (open hole)	
3 Stainless Steel			
4 Galvanized Steel			
5 Fiberglass			
6 Concrete tile			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
3 Mill slot			
4 Key punched			
SCREEN-PERFORATED INTERVALS:	From 18 ft. to 50 ft.		
GRAVEL PACK INTERVALS:	From 17 ft. to 50 ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 3 ft. to 17 ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well? West				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? 100

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Top Soil BIK			
4	7	Clay Red			
7	17	Shale Lite TAN			
17	21.5	Sandy Shale			
21.5	27	Creek Gravel			
27	35	LIME Gray			
35	38	Shale Dark			
38	47	Shale Greenish Gray Hard			
47	50	LIME			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Oct 15 04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 210 This Water Well Record was completed on (mo/day/yr) Oct 21 04 under the business name of Zinn Water Well Drlg by (signature) Joseph A. Zinn
--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.