WATER WELL RECORD	Form WWC-5	Divisio	n of Water Resourc	es; App. No. L		
1 LOCATION OF WATER WELL:	Fraction NW/4 SW 1/4 NW 1/4	Section N		hip Number		
County: Chase					R / EW	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of						
located within city?			Latitude: 38.35 779			
2 WATER WELL OWNER, Sand Idle, but			Longitude: 96,6/626			
2 WATER WELL OWNER: Far/ Weskind RR#, St. Address, Box # : Routel, Box A		Elevation: /280				
City, State, ZIP Code : 5/	1/6 /1050	Datum:	WGS 84	<u> </u>		
Elmaale, 123. (6730) Data Conection Method.						
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL						
WITH AN "X" IN Depth(s) Groundwater Encountered (1)						
SECTION BOX: WELL'S STATIC WA	WELL'S STATIC WATER LEVEL					
N Pump test data:	Pump test data: Well water wasft. after					
Est. Yield. 30gpm	Est. Yield. 30gpm: Well water was					
WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
W North Company 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
SW SE W						
Sample was submitted						
S						
5 TYPE OF CASING USED: 5 Wrought I					C Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-						
Plant 4 ABS / Fiberglass	A Diameter		A Diamete	Threaded	i 40 — A	
PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft. Wall thickness or guage No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot (Mill slot) 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From30						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 9 Bentenite 4 Other						
Grout Intervals: From	2.5 ft., From	ft. to	ft., From		ft. toft.	
What is the nearest source of possible contamination:						
					Other specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? How many feet?						
Direction from well?		any feet?		GGING INT		
FROM TO LITHOLOGIC	LOG FRO	OM TO	LIMAST		EKVALS	
8 10 CLAY, GRAY				6RAY		
8 10 CLAY, BROWN		5 67		ONTE		
10 12 LIMESTOWE		2-RO	CHAIR	CORI		
12 15 SHALE, GRAY		200	Sim 40)	6017	10 TV 2	
15 18 LAMESTONIE 18 25 SHALA, CRAY 25 30 LAMESTONE 30 37 SHALA WAY 37 39 LAMESTONIE BRE						
25 30 LIMESTONE						
36 37 SHALA WAY						
37 39 Lameson/E Be	Kren				0.00	
39 57 SHMF, WAY						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 11 constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mg/day/fear)						
under the business name of 1550c/chel direction by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top						
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						