USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

Lot 14	County Fraction		Section	number	Township number Range number		
1. Location of well:	'/ / / · · · · · · · · · · · · · · · · ·		1 7 1 X		19		
	<u> </u>	NE1/4 NE1/4 SW 1/4	12/		T // S	R 8	E, 😂
2. Distance and direction from nearest town or city: West ky South: 3. Owner of well: Mike Spinden. R.R. or street: RR-1							
Street address of well location if in city: 8th Street Cottoxwood City, state, zip code: Cottonwood Falls Ks 66845							
City, state, zip code: CETTE NWORD FOUNT 19-0							
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia. 8 in. Completion date 12-9 Well depth 98 ft.		
$I \leftarrow I \leftarrow$					7. X Cable tool Rotary Driven Dug		
					Hollow rod Jetted Bored Reverse rotary		
New Home sie					8. Use: X Domestic Public supply Industry		
₩					Irrigation Air conditioning Stock		
7					Lawn Oil field water Other		
SW SE					9. Casing: Material Height: Above or beauty		
<u> </u>					Threoded Welded Surface 24 in.		
S 1 Mile ——→1					RMPPVC_XWeightlbs./ft. Dia. 8 in. to 98 ft. depth Wall Thickness: inches or		
5. Type and color of			From	т。	Dia in. to ft. dep	h gage No. Sah /	6 <u>0</u>
			1		10. Screen: Manufacturer's n	ome TetStrc1	
T5 B1	ack.		0	2	Drill Holes	2 110	
			 	18	Type	_ Dia	
CL Red + Black,			2	10	Set between 97	ft. and 76	ft.
11172+4	rned Ch G	A=11	18	17	ft. c	nd	ft.
Weathered Sh Gray				1.	Gravel pack? MC Size ra		
LIME W	UChicht yellow	U	17	20	11. Static water level:		day/yr.
. است	<i>y</i>		20	25	12. Pumping level below land		
Cale Sh. Dank.			+-	H	ft. after h		g.p.m.
Sh Green			25	26	ft. after		g.p.m.
			1/	29	Estimated maximum yield		g.p.m.
Brukn Lime w Chent HyD			OF	<u> </u>	13. Water sample submitted: Yes Yo	mo.∕c Date	doy/yr.
Sh L	t Grau.		29	39	14. Well head completion:		
Sh Lit Gray. Brkn Lime+Shale			39	50	Pitless adapter	14 Inches above gr	ade
Dran LIMICY MAIL			10,		15. Well grouted? 425		
Lime			50	54	With: X Neat cement X	Bentonite Co	oncrete -
			11	40	Depth: From3 ft. to		 - -
Sh verigated was Lens			54	68	16. Nearest source of possible ft. 16. Direction	contamination:	
Sh verigated weak Leny. Brkn Lime & Shale			68	85	Well disinfected upon comple		No
B was 1 Chal				99	17. Pump:	Not installed	70
Orsh	LIME & SHE	رع ا	85	120	Manufacturer's name Model number	HP Volts	
					Length of drop pipe		
					Туре:	. ,	
			4		Submersible	Turbine	1
	(Use a second st	neet if needed)			Jet Centrifugal	Reciproco	ating Sec.
					20. Water well contractor's c		^ ^ l
ND_I Any 110					This well was drilled under my jurisdiction and this report		
Topography:					is true to the best of my knowledge and belief.		
lopography:	19. Remarks: MCNez Drilling+metals RR-180×128 Cotton wood Fells Ks			Business name License No.			
Slope					Address ARI BPX128		
Upland					Signed ACML	Dat J	1-9
X Valley					Authorized repr	esentative	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\