

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Washington</u>	<u>SE</u> ¼ <u>NE</u> ¼ <u>NW</u> ¼	<u>13</u>	<u>T 1 S</u>	<u>R 1 (E/W)</u>

Distance and direction from nearest town or city street address of well if located within city?
4 East, 1 South & ½ East of Mahaska

2 WATER WELL OWNER: Dewayne Rose
 RR#, St. Address, Box # : 870 29th Rd
 City, State, ZIP Code : Mahaska, KS 66955
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <u>200</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered ft. 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL <u>82</u> ft. below land surface measured on mo/day/yr <u>7/27/07</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>15</u> gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <u>Livestock</u> 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes No <u>*</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>*</u> No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>*</u> Clamped
<u>2 PVC</u>	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing diameter 5 in. to 1.50 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 24 in., weight 200 lbs./ft. Wall thickness or gauge No. 265

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless Steel	5 Fiberglass	<u>7 PVC</u>	10 Asbestos-Cement
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RMP (SR)	11 Other (Specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Guazed wrapped	<u>8 Saw cut</u>	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 150 ft. to 160 ft., From 190 ft. to 200 ft.
 GRAVEL PACK INTERVALS: From 30 ft. to 200 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 5 ft. to 30 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	<u>14 Abandoned water well</u>
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? South How many feet? 15

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6	<u>Brown Clay</u>			
6	23	<u>Limestone & Shale</u>			
23	31	<u>Tan Clay</u>			
31	64	<u>Sandstone</u>			
64	93	<u>Gray Shale</u>			
93	115	<u>Sandstone</u>			
115	151	<u>Gray Shale</u>			
151	156	<u>Sandstone</u>			
156	188	<u>Gray Shale</u>			
188	197	<u>Sandstone</u>			
197	200	<u>Gray Shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/27/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 518 This Water Well Record was completed on (mo/day/yr) 8/20/07 under the business name of Blue Valley Drilling by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.