

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Nemaha

Location listed as:

Section-Township-Range: 16-15S-13E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NW NW NE SW

Location changed to:

16-1S-13E

NW NW NE SW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Well address, city street map, and mapping tool on KGS website.

initials: DRJ date: 12/20/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

PROJECT: NAME: Bern O:1 MONITORING WELL/BORING NO. MW-7R
 LOCATION: _____
 DRILL EQUIPMENT: Geoprobe
 DRILLING METHOD: HSA TOP OF HOLE ELEV. (ft): _____
 DRILLED BY: Amron OFFICE: PSA GROUNDWATER ELEV. (DATE) (ft): _____
 LOGGED BY: Rand H OFFICE: TT STARTED: DATE: 10/3 TIME: 1120
 REMARKS: logged by Cuttings COMPLETED: DATE: 10/3 TIME: 1230

DEPTH (ft)	LEGEND	CLASSIFICATION AND DESCRIPTION	SAMPLE SYMBOL	PENET. RESIST. (BLOWS/ft)	FIELD SCREENING RESULTS				
					HNU (PID) HEADSPACE	OVA (FID) HEADSPACE	ODOR	STAINING	
0.0		<u>DK Brown Clay, Silt</u>			<u>NA</u>				
5.0		<u>DK Brown w/ Orange Matting Silty Clay</u>							
10.0		<u>Brown Silty Clay</u>							
15.0		<u>Brown Silty Clay</u>							
20.0		<u>Brown Silty Clay</u>							
25.0									
30.0									
35.0									

- CA - CALIFORNIA
- SS - SPLIT SPOON
- ST - SHIELD TUBE
- DB - DISTURBED BULK /MC SAMPLE
- CON - CONTINUOUS SAMPLE
- CORE - CORE SAMPLE
- CA - SAMPLE SUBMITTED FOR CHEMICAL ANALYSIS
- - NOT ANALYZED
- NS - NO SHEEN
- SS - SLIGHT SHEEN
- MS - MODERATE SHEEN
- HS - HEAVY SHEEN
-
-
-
-

DEPTH TO BOTTOM OF BORING
20.0